

A CO₂ inversion bibliography (interim version)

Ian Enting
MACSOS
139 Barry St
The University of Melbourne
Victoria 3010
Australia

Last update 19/8/04. Processed August 20, 2004

This document lists references relevant to inversions of CO₂, the estimation of the net surface flux of CO₂ given observations of concentrations. It includes all references from my book [147], and others that I assembled for my talk at the TransCom Tsukuba meeting in June 2004. I am progressively adding to this starting point. My website will indicate the number of references in the current version.

- My aim is to make it comprehensive for CO₂ inversions, (and maybe CH₄) and any information about omissions will be gratefully received.
- My contact address is ienting[AT]unimelb.edu.au
- The bits that come from my book included more general references. I do not intend to maintain a comprehensive list of all relevant publications in these related areas.
- This list is intended as a guide to relevant literature. Although the entries have been checked, anyone who wishes to cite these publications in their own work should independently check the accuracy of the citations.
- At some time in the future, I hope to make the BibTeX files available. Currently, the entries are spread across two files with different conventions for keys.
- The present list includes some dummy entries that are skeletons for creating new BibTeX entries.

References

- [1] 97CO2. *Fifth international CO₂ conference: Abstracts*. CSIRO Atmospheric Research, Aspendale, Australia, 1997. Editors: R. Baum and I. Enting and R. Francey and P. Holper and M. Hopkins.
- [2] I. Aben, H. Schrijver, and P. J. Rayner. Greenhouse gas measurements with SCIAMACHY [RS17 poster presentation]. In CO2SENDAI [78], pages 533–536.
- [3] F. S. Acton. *Numerical Methods That Work*. Harper and Row, New York, 1970.
- [4] D. L. Albritton, R. G. Derwent, I. S. A. Isaksen, M. Lal, and D. J. Wuebbles. Trace gas radiative forcing indices. In J. T. Houghton, L. G. Meira Filho, J. Bruce, Hoesung Lee, B. A. Callander, E. Haites, N. Harris, and K. Maskell, editors, *Climate Change 1994: Radiative Forcing of Climate Change and An Evaluation of the IPCC IS92 Emission Scenarios.*, pages 205–231. Published for the IPCC by CUP, Cambridge, UK, 1995.
- [5] D. L. Albritton and L. G. (Co-ordinating lead authors) Meira Filho. Technical summary. In Houghton et al. [240].
- [6] J. Alcamo, editor. *IMAGE 2.0: Integrated Modeling of Global Climate Change*. Kluwer, Dordrecht, 1994. Reprinted from *Water, Air and Soil Pollution*, **76**.
- [7] E. Alcock, R. Gemmill, and K. C. Jones. Improvements to the UK PCDD/F and PCB atmospheric emission inventory following an emissions measurement programme. *Chemosphere*, 38:759–770, 1999.
- [8] R. Allan, J. Lindsay, and D. Parker. *El Niño Southern Oscillation and Climate Variability*. CSIRO Publishing, Collingwood, Australia, 1996.
- [9] C. E. Allison, R. J. Francey, and P. J. Rayner. Stable isotopes of atmospheric carbon dioxide from the CSIRO global flask sampling network [AT07 poster presentation]. In CO2SENDAI [78], pages 81–84.
- [10] R. S. Anderssen. Some numerical aspects of improperly posed problems or why regularization works and when not to use it. Technical Report No. 52, Australian National University Computer Centre, 1977.
- [11] R. S. Anderssen and P. Bloomfield. Numerical differentiation procedures for non-exact data. *Numer. Math.*, 22:157–182, 1974.

- [12] R. S. Anderssen and A. J. Jakeman. Abel type integral equations in stereology. II. Computational methods of solution and the random spheres approximation. *J. Micros.*, 105:111–126, 1975.
- [13] R. J. Andres, G. Marland, T. Boden, and S. Bischof. Carbon dioxide emissions from fossil fuel consumption and cement manufacture, 1751–1991, and an estimate of their isotopic composition and latitudinal distribution. In T. Wigley and D. Schimel, editors, *The Carbon Cycle*, chapter 3. CUP, Cambridge, UK, 2000.
- [14] R. J. Andres, G. Marland, I. Fung, and E. Matthews. A $1^\circ \times 1^\circ$ distribution of carbon dioxide emissions from fossil fuel consumption and cement manufacture, 1950–1990. *Global Biogeochemical Cycles*, 10:419–429, 1996.
- [15] D. G. Andrews and M. E. McIntyre. Planetary waves in horizontal and vertical shear: the generalized Eliassen-Palm relation and the mean zonal acceleration. *J. Atmos. Sci.*, 33:2031–2048, 1976.
- [16] S. Arrhenius. On the influence of carbonic acid in the air upon the temperature of the ground. *Phil. Mag. S.5.*, 41:237–276, 1896. (Reprinted in *The Legacy of Svante Arrhenius: Understanding the Greenhouse Effect*, ed. H. Rodhe and R. Charlson, (Royal Swedish Academy of Sciences: Stockholm)).
- [17] H. Arsham. Techniques for Monte Carlo optimizing. *Monte Carlo Methods and Applications*, 4:181–229, 1998.
- [18] V. Athias, P. Mazzega, and C. Jeandel. Nonlinear inversions of a model of the oceanic dissolved-particulate exchanges. In Kasibhatla et al. [276], pages 205–222.
- [19] G. P. Ayers and R. W. Gillette. Tropospheric chemical composition: Overview of experimental methods in measurement. *Rev. Geophys.*, 28:297–314, 1990.
- [20] R. B. Bacastow. Modulation of atmospheric carbon dioxide by the Southern Oscillation. *Nature*, 261:116–118, 1976.
- [21] G. Backus and F. Gilbert. The resolving power of gross earth data. *Geophys. J. R. astr. Soc.*, 13:247–276, 1968.
- [22] D. F. Baker. An inversion method for determining time-dependent surface CO₂ fluxes. In Kasibhatla et al. [276], pages 279–293.
- [23] D. F. Baker. *Sources and Sinks of Atmospheric CO₂ Estimated from Batch Least-Squares Inversions of CO₂ Concentration Measurements*. Ph. D. thesis, Princeton University, 2001.
- [24] Y. Bard. *Nonlinear Parameter Estimation*. Academic, New York, 1974.
- [25] P. Bartello. Using low-resolution winds to deduce fine structure in tracers. *Atmosphere-Ocean*, 38:303–320, 2000.
- [26] N. Barth and C. Wunsch. Oceanographic experiment design by simulated annealing. *J. Phys. Oceanog.*, 20:1249–1263, 1990.
- [27] M. Battle, M. L. Bender, P. P. Tans, J. W. C. White, J. T. Ellis, T. Conway, and R. J. Francey. Global carbon sinks and their variability inferred from atmospheric O₂ and $\delta^{13}\text{C}$. *Science*, 287:2467–2470, 2000.
- [28] D. J. Beardsmore and G. I. Pearmen. Atmospheric carbon dioxide measurements in the Australian region: data from surface observations. *Tellus*, 39B:42–66, 1987.
- [29] M. L. Bender, P. P. Tans, J. T. Ellis, J. Orchado, and K. Habfast. A high precision isotope ratio mass spectrometry method for measuring O₂/N₂ ratio of air. *Geochim. et Cosmochim. Acta*, 58:4751–4758, 1994.
- [30] L. Bengtsson. *4-dimensional assimilation of meteorological observations*. GARP Publication Series No. 15. ICSU/WMO, 1975.
- [31] C. Benitez-Nelson and K. O. Buessler. Phosphorus 32, phosphorus 37, beryllium 7 and lead 210: Atmospheric fluxes and utility in tracing stratosphere/troposphere exchange. *J. Geophys. Res.*, 104D:11745–11754, 1999.
- [32] P. Bergamaschi, R. Hein, C. A. M. Brenninkmeijer, and P. J. Crutzen. Inverse modeling of the global CO cycle 2. Inversion of C¹³/C¹² and ¹⁸O/¹⁶O isotope ratios. *J. Geophys. Res.*, 105D:1929–1945, 2000.
- [33] P. Bergamaschi, R. Hein, M. Heimann, and P. J. Crutzen. Inverse modeling of the global CO cycle 1. Inversion of CO mixing ratios. *J. Geophys. Res.*, 105D:1909–1927, 2000.
- [34] K. M. Beswick, T. W. Simpson, D. Fowler, T. W. Choullarton, M. W. Gallagher, K. J. Hargreaves, M. A. Sutton, and A. Kaye. Methane emissions on large scales. *Atmos. Environment*, 32:3283–3291, 1998.
- [35] S. Biraud, P. Ciais, M. Ramonet, P. Simmonds, V. Kazan, P. Monfray, S. O’Doherty, T. G. Spain, and S. G. Jennings. European greenhouse gas emissions estimated from continuous atmospheric measurements and radon 222 at Mace Head, Ireland. *J. Geophys. Res.*, 105D:1351–1366, 2000.

- [36] P. Bloomfield, M. Heimann, M. Prather, and R. Prinn. Inferred lifetimes. In J. A. Kaye, S. A. Penkett, and F. M. Ormond, editors, *Report on Concentrations, Lifetimes and Trends of CFCs, Halons and Related Species.*, chapter 3. NASA, Washington, 1994. NASA Reference Publication 1339.
- [37] G. Boer. Climate model intercomparisons. In Mote and O'Neill [368], pages 443–464.
- [38] K. A. Boering, S. C. Wofsy, B. C. Daube, H. R. Schneider, M. Loewenstein, J. R. Podolske, and T. J. Conway. Stratospheric mean ages and transport rates from observations of carbon dioxide and nitrous oxide. *Science*, 274:1340–1343, 1996.
- [39] B. Bolin, A. Björkström, K. Holmén, and B. Moore. The simultaneous use of tracers for ocean circulation studies. *Tellus*, 35B:206–236, 1983.
- [40] B. Bolin, E. T. Degens, S. Kempe, and S. Ketner, editors. *The Carbon Cycle. SCOPE 13*. Wiley, Chichester, 1979.
- [41] B. Bolin and C. D. Keeling. Large-scale atmospheric mixing as deduced from the seasonal and meridional variations of carbon dioxide. *J. Geophys. Res.*, 68:3899–3920, 1963.
- [42] P. Bousquet, P. Ciais, P. Peylin, and P. Monfray. Inverse modelling of annual atmospheric CO₂ sources and sinks 1. Method and control inversion. *J. Geophys. Res.*, 104D:26161–26178, 1999.
- [43] P. Bousquet, P. Ciais, P. Peylin, and P. Monfray. Inverse modelling of annual atmospheric CO₂ sources and sinks 2. Sensitivity study. *J. Geophys. Res.*, 104D:26179–26193, 1999.
- [44] P. Bousquet, P. Peylin, P. Ciais, C. Le Quéré, P. Friedlingstein, and P. P. Tans. Regional changes in carbon dioxide fluxes of land and oceans since 1980. *Science*, 290:1342–1346, 2000.
- [45] A. F. Bouwman, R. G. Derwent, and F. J. Dentner. Towards reliable global bottom-up estimates of temporal and spatial patterns of emissions of trace gases and aerosols from land-use related and natural sources. In A. F. Bouwman, editor, *Approaches to scaling of trace gas fluxes in ecosystems*, pages 3–26. Elsevier, Amsterdam, 1999.
- [46] A. F. Bouwman, D. S. Lee, W. A. H. Asman, F. J. Dentener, K. W. van der Hoek, and J. G. J. Olivier. A global high-resolution emission inventory for ammonia. *Global Biogeochemical Cycles*, 11:561–587, 1997.
- [47] B. A. Boville. Towards a complete model of the climate system. In Mote and O'Neill [368], pages 419–442.
- [48] G. E. P. Box and G. M. Jenkins. *Time Series Analysis: Forecasting and Control*. Holden-Day, San Francisco, 1970.
- [49] G. E. P. Box and G. C. Tiao. *Bayesian Inference in Statistical Analysis*. Addison-Wesley, Reading, Mass., 1973.
- [50] B. Braatz, B. P. Jallow, S. Molnar, D. Murdiyarso, M. Perdomo, and J. F. Fitzgerald. *Greenhouse Gas Inventories: Interim Results from the US Country Studies Program*. Kluwer, Dordrecht, 1996.
- [51] G. Brasseur, B. Khattatov, and S. Walters. Modeling. In Brasseur et al. [53], chapter 12.
- [52] G. P. Brasseur and S. Madronich. Chemical-transport models. In K. E. Trenberth, editor, *Climate System Modeling.*, pages 491–517. CUP, Cambridge, UK, 1992.
- [53] G. P. Brasseur, J. J. Orlando, and G. S. Tyndall, editors. *Atmospheric Chemistry and Global Change*. OUP, Oxford, 1999.
- [54] C. A. M. Brenninkmeijer, M. R. Manning, D. C. Lowe, G. Wallace, R. J. Sparks, and A. Volz-Thomas. Interhemispheric asymmetry in OH abundance inferred from measurements of atmospheric C¹⁴O. *Nature*, 356:50–52, 1992.
- [55] A. W. Brewer. Evidence for a world circulation provided by the measurements of helium and water vapour distribution in the stratosphere. *Q. J. Roy. Meteorol. Soc.*, 75:351–363, 1949.
- [56] W. S. Broecker and T.-H. Peng. *Greenhouse Puzzles*. Eldigo Press, Palisades, N.Y., 1993. (3 parts).
- [57] R. A. Brost and M. Heimann. The effect of the global background on a synoptic-scale simulation of tracer concentration. *J. Geophys. Res.*, 96D:15415–15425, 1991.
- [58] M. Brown. Deduction of emissions of source gases using an objective inversion algorithm and a chemical transport model. *J. Geophys. Res.*, 98D:12639–12660, 1993.
- [59] M. Brown. The singular value decomposition method applied to the deduction of the emissions and isotopic composition of atmospheric methane. *J. Geophys. Res.*, 100D:11425–11446, 1995.
- [60] L. Bruhwiler, P. Tans, and M. Ramonet. A time-dependent assimilation and source retrieval technique for atmospheric tracers. In Kasibhatla et al. [276], pages 265–277.
- [61] N. Buchmann and E.-D. Schulze. Net CO₂ and H₂O fluxes of terrestrial ecosystems. *Global Biogeochemical Cycles*, 13:751–760, 1999.

- [62] J. P. Burrows. Current and future passive remote sensing techniques used to determine atmospheric constituents. In A. F. Bouwman, editor, *Approaches to scaling of trace gas fluxes in ecosystems*, pages 317–347. Elsevier, Amsterdam, 1999.
- [63] J. G. Cannadell, H. A. Mooney, D. D. Baldocchi, J. A. Berry, J. R. Ehleringer, C. B. Field, S. T. Gower, D. Y. Hollinger, J. E. Hunt, R. B. Jackson, S. W. Running, G. R. Shaver, W. Steffen, S. E. Trumbore, R. Valentini, and B. Y. Bond. Carbon metabolism of the terrestrial biosphere: A multitechnique approach for improved understanding. *Ecosystems*, 3:115–130, 2000.
- [64] J. N. Cape, J. Methven, and L. E. Hudson. The use of trajectory cluster analysis to interpret trace gas measurements at Mace Head, Ireland. *Atmos. Environment*, 34:3651–3663, 2000.
- [65] L. M. Cárdenas, J. F. Austin, R. A. Burgess, K. C. Clemitshaw, S. Dorling, S. A. Penkett, and R. M. Harrison. Correlations between CO, NO_y, O₃ and non-methane hydrocarbons and their relationships with meteorology during winter 1993 on the north Norfolk coast, U.K. *Atmos. Environment*, 32:3339–3351, 1998.
- [66] W. L. Chameides, J. G. Anderson, M. A. Carroll, J. M. Hales, D. J. Hofmann, B. J. Huebert, J. A. Logan, A. R. Ravishankara, D. Schimel, and M. A. Tolbert. Atmospheric chemistry research entering the twenty-first century. In *The Atmospheric Sciences Entering the Twenty-First Century.*, pages 107–337. National Academy Press, Washington, 2000. National Research Council Report.
- [67] J. Y. N. Cho, Y. Zhu, R. E. Newell, B. E. Anderson, J. D. Barrick, G. L. Gregory, G. W. Sachse, M. A. Carroll, and G. M. Albercock. Horizontal wavenumber spectra of winds, temperature and trace gases during the Pacific exploratory missions: 1. Climatology. *J. Geophys. Res.*, 104D:5697–5716, 1999.
- [68] P. Ciais, A. S. Denning, P. P. Tans, J. A. Berry, D. A. Randall, G. J. Collatz, P. J. Sellers, J. W. C. White, M. Trolier, H. A. J. Meijer, R. J. Francey, P. Monfray, and M. Heimann. A three-dimensional synthesis study of $\delta^{18}\text{O}$ in atmospheric CO₂ 1. Surface fluxes. *J. Geophys. Res.*, 102D:5857–5872, 1997.
- [69] P. Ciais, P. P. Tans, A. S. Denning, R. J. Francey, M. Trolier, H. A. J. Meijer, J. W. C. White, J. A. Berry, D. A. Randall, G. J. Collatz, P. J. Sellers, P. Monfray, and M. Heimann. A three-dimensional synthesis study of $\delta^{18}\text{O}$ in atmospheric CO₂ 2. Simulation with the TM2 transport model. *J. Geophys. Res.*, 102D:5873–5883, 1997.
- [70] P. Ciais, P. P. Tans, J. W. C. White, M. Trolier, R. J. Francey, J. A. Berry, D. R. Randall, P. J. Sellers, J. G. Collatz, and D. S. Schimel. Partitioning of ocean and land uptake of CO₂ as inferred by $\delta^{13}\text{C}$ measurements from the NOAA climate monitoring and diagnostics laboratory global air sampling network. *J. Geophys. Res.*, 100D:5051–5070, 1995.
- [71] P. P. Ciais, P. Tans, M. Trolier, J. W. C. White, and R. J. Francey. A large northern hemisphere terrestrial CO₂ sink indicated by the C¹³/C¹² ratio of atmospheric CO₂. *Science*, 269:1098–1102, 1995.
- [72] L. Ciattaglia. Interpretation of atmospheric CO₂ measurements at Mt. Cimone (Italy) related to wind data. *J. Geophys. Res.*, 88C:1331–1338, 1983.
- [73] R. J. Cicerone and R. S. Oremland. Biogeochemical aspects of atmospheric methane. *Global Biogeochemical Cycles*, 2:299–327, 1988.
- [74] M. Claussen. On multiple solutions of the atmosphere-vegetation system in present-day climate. *Global Change Biology*, 4:549–559, 1998.
- [75] H. A. Cleugh and C. S. B. Grimmond. Modelling regional scale surface energy exchanges and CBL growth in a heterogeneous urban-rural landscape. *Boundary-Layer Meteorol.*, 98:1–31, 2001.
- [76] W. S. Cleveland and S. J. Devlin. Locally-weighted regression: an approach to regression analysis by local fitting. *J. Am. Stat. Assoc.*, 83:596–610, 1988.
- [77] W. S. Cleveland, A. E. Freeny, and T. E. Graedel. The seasonal component of atmospheric CO₂: information from new approaches to the decomposition of seasonal time series. *J. Geophys. Res.*, 88C:10934–10946, 1983.
- [78] *Sixth International Carbon Dioxide Conference: Extended abstracts.* Organizing Committee of the 6th Conference, Sendai, Japan, 2001.
- [79] E. A. Coddington and N. Levinson. *Theory of Differential Equations.* McGraw-Hill, New York, 1955.
- [80] Cohen, R. (and Johnson, H. S.). Johnson receives Revelle medal. *EOS (Trans AGU)*, 80(3):28, 1999.
- [81] J. M. Conny. The isotopic characterization of carbon monoxide in the troposphere. *Atmos. Environment*, 32:2669–2683, 1998.

- [82] T. J. Conway, P. P. Tans, L. S. Waterman, K. W. Thoning, D. R. Kitzis, K. A. Masarie, and N. Zhang. Evidence for interannual variability of the carbon cycle from the National Oceanic and Atmospheric Administration/Climate Monitoring and Diagnostics Laboratory global air sampling network. *J. Geophys. Res.*, 99D:22831–22855, 1994.
- [83] J. Cornfield. Bayes theorem. *Rev. Inst. Internat. Statist.*, 35:34–49, 1967.
- [84] R. Courant. *Partial Differential Equations*. Interscience, New York, 1962. Volume 2 of *Methods of Mathematical Physics*. by R. Courant and D. Hilbert.
- [85] P. M. Cox, R. A. Betts, C. D. Jones, S. A. Spell, and I. J. Totterdell. Acceleration of global warming due to carbon-cycle feedbacks in a coupled climate model. *Nature*, 408:184–187, 2000.
- [86] I. J. D. Craig and J. C. Brown. *Inverse Problems in Astronomy: A Guide to Inversion Strategies for Remotely Sensed Data*. Adam Hilger, Bristol, 1986.
- [87] W. Cramer, A. Bondeau, F. I. Woodward, I. C. Prentice, R. A. Betts, V. Brovkin, P. M. Cox, V. Fisher, J. A. Foley and A. D. Friend, C. Kucharik, M.R Lomas, N. Ramankutty, S. Sitch, B. Smith, A. White, and C. Young-Molling. Global response of terrestrial ecosystem structure and function to CO₂ and climate change: Results from six dynamic global vegetation models. *Global Change Biology*, 7:375–373, 2001.
- [88] W. Cramer, D. W. Kicklighter, A. Bondeau, B. Moore, G. Churkina, B. Nemry, A. L. Ruimy, A. Schloss, and THE PARTICIPANTS OF THE POTSDAM NPP MODEL INTERCOMPARISON. Comparing global models of terrestrial net primary productivity (NPP): Overview and key results. *Global Change Biology*, 5:1–15, 1999.
- [89] P. Craven and G. Wahba. Smoothing noisy data with spline functions: estimating the correct degree of smoothing by the method of generalized cross-validation. *Numer. Math.*, 31:377–403, 1979.
- [90] N. A. C. Cressie. *Statistics for Spatial Data*. John Wiley and Sons, New York, 1993.
- [91] R. E. Criss. *Principles of Stable Isotope Distribution*. OUP, New York, 1999.
- [92] P. J. Crutzen. A discussion of the chemistry of some minor constituents in the stratosphere and the troposphere. *PAGEOPH*, 106–108:1385–1399, 1973.
- [93] P. J. Crutzen and P. H. Zimmermann. The changing photochemistry of the troposphere. *Tellus*, 43AB:136–151, 1991. (Bolin-65 symposium issue).
- [94] D. Cunnold, F. Alyea, and R. Prinn. A methodology for determining the atmospheric lifetime of fluorocarbons. *J. Geophys. Res.*, 83C:5493–5500, 1978.
- [95] D. M. Cunnold and R. G. Prinn. Comment on “Tropospheric OH in a three-dimensional chemical tracer model: an assessment based on observations of CH₃CCl₃” by C. M. Spivakovsky et al. *J. Geophys. Res.*, 96D:17391–19393, 1991.
- [96] D. M. Cunnold, R. G. Prinn, R. A. Rasmussen, P. G. Simmonds, F. N. Alyea, C. A. Cardelino, A. J. Crawford, P. J. Fraser, and R. D. Rosen. The atmospheric lifetime experiment. 3. Lifetime methodology and application to three years of CFCl₃ data. *J. Geophys. Res.*, 88C:8379–8400, 1983.
- [97] D. M. Cunnold, R. F. Weiss, R. G. Prinn, D. Hartley, P. G. Simmonds, P. J. Fraser, B. Miller, F. N. Alyea, and L. Porter. GAGE/AGAGE measurements indicating reductions in global emissions of CCl₃F and CCl₂F₂ in 1992–1994. *J. Geophys. Res.*, 102D:1259–1269, 1997.
- [98] G. Da Costa and P. Steele. A low-flow analyser system for making measurements of atmospheric CO₂. In R. Francey, editor, *Report of the Ninth WMO Meeting of Experts on Carbon Dioxide Concentration and Related Tracer Measurement Techniques*, Global Atmospheric Watch Report Series no. 132, pages 16–20. World Meteorological Organization, Geneva, 1997.
- [99] A. Dai and I. Y. Fung. Can climate variability contribute to the “missing” CO₂ sink? *Global Biogeochemical Cycles*, 7:599–609, 1993.
- [100] R. Daley. *Atmospheric Data Analysis*. CUP, Cambridge, UK, 1991.
- [101] R. Daley. Estimating the wind field from chemical constituent observations: experiments with a one-dimensional extended Kalman filter. *Monthly Weather Rev.*, 123:181–198, 1995.
- [102] R. Dargaville. *The variability of atmospheric carbon dioxide and its surface sources*. Ph. D. thesis, University of Melbourne, 1999.
- [103] R. Dargaville, A. D. McGuire, and P. J. Rayner. Estimates of large-scale fluxes in high latitudes from terrestrial biosphere models and an inversion of atmospheric CO₂ measurements. *Climatic Change*, 55:273–285, 2002.

- [104] R. J. Dargaville, R. M. Law, and F. Pribac. Implications of interannual variability in atmospheric circulation on modeled CO₂ concentrations and source estimates. *Global Biogeochemical Cycles*, 14:931–943, 2000.
- [105] R. J. Dargaville and I. Simmonds. Calculating CO₂ fluxes by data assimilation coupled to a three dimensional mass balance inversion. In Kasibhatla et al. [276], pages 255–264.
- [106] C. de Boor. *A Practical Guide to Splines*. Springer-Verlag, New York, 1978.
- [107] R. S. DeFries, C. B. Field, I. Fung, C. O. Justice, S. Los, P. A. Matson, E. Matthews, H. A. Mooney, C. S. Potter, K. Prentice, P. J. Sellers, J. R. G. Townshend, C. J. Tucker, S. L. Ustin, and P. M. Vitousek. Mapping the land surface for global atmosphere-biosphere models: Towards continuous distributions of vegetation’s functional properties. *J. Geophys. Res.*, 100D:20867–20882, 1995.
- [108] W. B. DeMore, S. P. Sander, D. M. Golden, R. F. Hampson, M. J. Kurylo, C. J. Howard, A. R. Ravishankara, C. E. Kolb, and M. J. Molina. Chemical kinetics and photochemical data for use in stratospheric modeling, Eval 12. Technical report, NASA, J.P.L. (U. Calif.), Pasadena, 1997.
- [109] K. Denman, E. Hofmann, and H. Marchant. Marine biotic responses to environmental change and feedbacks to climate. In Houghton et al. [243], pages 483–516.
- [110] O. T. Denmead, R. Leuning, D. W. T. Griffith, and C. P. Meyer. Some recent developments in trace gas flux measurement techniques. In A. F. Bouwman, editor, *Approaches to scaling of trace gas fluxes in ecosystems*, pages 69–84. Elsevier, Amsterdam, 1999.
- [111] O. T. Denmead, M. R. Raupach, F. X. Dunin, H. A. Cleugh, and R. Leuning. Boundary-layer budgets for regional estimates of scalar fluxes. *Global Change Biology*, 2:255–264, 1996.
- [112] A. S. Denning. *Investigations of the Transport, Sources and Sinks of Atmospheric CO₂, Using a General Circulation Model*. Ph. D. thesis, Colorado State University, Fort Collins, 1994. Department of Atmospheric Science, paper No. 564.
- [113] A. S. Denning. Atmospheric CO₂ inversion intercomparison project (TransCom). *Research GAIM*, 3(2):5–6, 2000.
- [114] A. S. Denning, I. Y. Fung, and D. Randall. Latitudinal gradient of atmospheric CO₂ due to seasonal exchange with the land biota. *Nature*, 376:240–243, 1995.
- [115] A. S. Denning, K. R. Gurney, R. Engelen, G. L. Stephens, D. M. O’Brien, P. J. Rayner, and TransCom3 Modelers. Potential constraints on the global carbon budget using satellite retrievals of atmospheric CO₂ [RS01 poster presentation]. In CO2SENDAI [78], pages 495–498.
- [116] A. S. Denning, M. Holzer, K. R. Gurney, M. Heimann, R. M. Law, P. J. Rayner, I. Y. Fung, S.-M. Fan, S. Taguchi, P. Friedlingstein, Y. Balkanski, J. Taylor, M. Maiss, and I. Levin. Three-dimensional transport and concentration of SF₆: A model intercomparison study (TransCom 2). *Tellus*, 51B:266–297, 1999.
- [117] R. G. Derwent, N. Carslaw, P. G. Simmonds, M. Bassford, S. O’Doherty, D. B. Ryall, M. J. Pilling, A. C. Lewis, and J. B. McQuaid. Hydroxyl radical concentrations estimated from measurements of trichloroethylene during the EASE/ACSOE campaign at Mace Head, Ireland during July 1996. *J. Atmos. Chem.*, 34:185–205, 1999.
- [118] R. G. Derwent, P. G. Simmonds, S. O’Doherty, P. Ciais, and D. B. Ryall. European source strengths and northern hemisphere baseline concentrations of radiatively active trace gases at Mace Head, Ireland. *Atmos. Environment*, 32:3703–3715, 1998.
- [119] R. Deutsch. *Estimation Theory*. Prentice Hall, Englewood Cliffs, N. J., 1965.
- [120] E. J. Dlugokencky, K. A. Masarie, P. M. Lang, and P. P. Tans. Continuing decline in the growth rate of the atmospheric methane burden. *Nature*, 393:447–450, 1998.
- [121] E. J. Dlugokencky, K. A. Masarie, P. M. Lang, P. P. Tans, L. P. Steele, and E. G. Nisbet. A dramatic decrease in the growth rate of atmospheric methane in the northern hemisphere during 1992. *Geophys. Res. Lett.*, 21:45–48, 1994.
- [122] E. J. Dlugokencky, L. P. Steele, P. M. Lang, and K. A. Masarie. The growth rate and distribution of atmospheric methane. *J. Geophys. Res.*, 99D:17021–17043, 1994.
- [123] G. M. B. Dobson. Recent work on the stratosphere. *Q. J. Roy. Meteorol. Soc.*, 77:448–492, 1951.
- [124] N. R. Draper and H. Smith. *Applied Regression Analysis*. John Wiley and Sons, New York, 2nd edition, 1981.
- [125] B. L. Dunse, L. P. Steele, P. J. Fraser, and S. R. Wilson. An analysis of melbourne pollution episodes observed at Cape Grim from 1995–1998. In N. W. Tindale, N. Derek, and R. J. Francey, editors, *Baseline Atmospheric Program (Australia) 1997–98*. Bureau of Meteorology and CSIRO Atmospheric Research, Australia, 2001.

- [126] A. Ebel, R. Freidrich, and H. Rodhe. *Tropospheric Modelling and Emission Estimation.*, volume 7 of *Transport and Chemical Transformation of Pollutants in the Troposphere*. Springer-Verlag, Berlin, 1977.
- [127] ECMWF. *ECMWF and WCRP/GEWEX workshop on Modelling and Data Assimilation for Land Surface Processes: 29 June–2 July 1998*. ECMWF, Reading, UK, 1999.
- [128] H. Elbern, H. Schmidt, and A. Ebel. Variational data assimilation for tropospheric chemistry modelling. *J. Geophys. Res.*, 102D:15967–15985, 1997.
- [129] W. P. Elliott, editor. *The statistical treatment of CO₂ data*. NOAA ARL, Silver Springs, Maryland, 1989. NOAA Technical memorandum ERL ARL-173.
- [130] W. P. Elliott and J. K. Angell. On the relation between atmospheric CO₂ and equatorial sea-surface temperature. *Tellus*, 39B:171–183, 1987.
- [131] W. P. Elliott, J. K. Angell, and K. W. Thoning. Relation of atmospheric CO₂ to tropical sea-surface temperatures and precipitation. *Tellus*, 43B:144–155, 1991.
- [132] M. H. England and E. Maier-Reimer. Using tracers to assess ocean models. *Rev. Geophys.*, 39:29–70, 2001.
- [133] I. G. Enting. A classification of some inverse problems in geochemical modelling. *Tellus*, 37B:216–229, 1985.
- [134] I. G. Enting. Green’s functions and response functions in geochemical modelling. *PAGEOPH*, 123:328–343, 1985.
- [135] I. G. Enting. A lattice statistics model for the age distribution of air bubbles in polar ice. *Nature*, 351:654–655, 1985.
- [136] I. G. Enting. A strategy for calibrating atmospheric transport models. Division of Atmospheric Research Technical Paper no. 9 (CSIRO: Australia), 1985.
- [137] I. G. Enting. Potential problems with the use of least squares spline fits to filter CO₂ data. *J. Geophys. Res.*, 91D:6668–6670, 1986.
- [138] I. G. Enting. The interannual variation in the seasonal cycle of carbon dioxide concentration at Mauna Loa. *J. Geophys. Res.*, 92D:5497–5504, 1987.
- [139] I. G. Enting. On the use of smoothing splines to filter CO₂ data. *J. Geophys. Res.*, 92D:10977–10984, 1987.
- [140] I. G. Enting. Studies of baseline selection criteria for Cape Grim, Tasmania. In Elliott [129], pages 51–60. NOAA Technical memorandum ERL ARL-173.
- [141] I. G. Enting. Ambiguities in the calibration of carbon cycle models. *Inverse Problems*, 6:L39–L46, 1990.
- [142] I. G. Enting. The incompatibility of ice-core CO₂ data with reconstructions of biotic CO₂ sources (II). The influence of CO₂-fertilised growth. *Tellus*, 44B:23–32, 1992.
- [143] I. G. Enting. Inverse problems in atmospheric constituent studies: III. Estimating errors in surface sources. *Inverse Problems*, 9:649–665, 1993.
- [144] I. G. Enting. Characterising the temporal variability of the global carbon cycle. CSIRO Atmospheric Research Technical Paper no. 40 CSIRO :Australia), 1999. Electronic edition at: http://www.dar.csiro.au/publications/Enting_2000a.pdf.
- [145] I. G. Enting. Constraints on the atmospheric carbon budget from spatial distributions of CO₂. In T. Wigley and D. Schimel, editors, *The Carbon Cycle*, chapter 8. CUP, Cambridge, UK, 2000.
- [146] I. G. Enting. Green’s function methods of tracer inversion. In Kasibhatla et al. [276], pages 19–31.
- [147] I. G. Enting. *Inverse Problems in Atmospheric Constituent Transport*. CUP, Cambridge, UK, 2002.
- [148] I. G. Enting, R. J. Francey, C. M. Trudinger, and H. Granek. Synthesis inversion of atmospheric CO₂ using the GISS tracer transport model. Technical Report Technical Paper no. 29, CSIRO Division of Atmospheric Research, 1993.
- [149] I. G. Enting and J. V. Mansbridge. The incompatibility of ice-core CO₂ data with reconstructions of biotic CO₂ sources. *Tellus*, 39B:318–325, 1987.
- [150] I. G. Enting and J. V. Mansbridge. Inversion relations for the deconvolution of CO₂ data from ice cores. *Inverse Problems*, 3:L63–69, 1987.
- [151] I. G. Enting and J. V. Mansbridge. Seasonal sources and sinks of atmospheric CO₂: Direct inversion of filtered data. *Tellus*, 41B:111–126, 1989.

- [152] I. G. Enting and J. V. Mansbridge. Latitudinal distribution of sources and sinks of CO₂: Results of an inversion study. *Tellus*, 43B:156–170, 1991.
- [153] I. G. Enting and G. N. Newsam. Inverse problems in atmospheric constituent studies: II. Sources in the free atmosphere. *Inverse Problems*, 6:349–362, 1990.
- [154] I. G. Enting and G. N. Newsam. An improved approach to one-dimensional modelling of meridional transport in the atmosphere. *Tellus*, 43B:76–79, 1991.
- [155] I. G. Enting and G. I. Pearman. Description of a one-dimensional carbon cycle model calibrated using techniques of constrained inversion. *Tellus*, 39B:459–476, 1987.
- [156] I. G. Enting and G. I. Pearman. Average global distributions of CO₂. In M. Heimann, editor, *The Global Carbon Cycle*, pages 31–64. Springer-Verlag, Heidelberg, 1993.
- [157] I. G. Enting and C. M. Trudinger. Modelling studies of the small-scale variability in CO₂. In S. R. Wilson and J. L. Gras, editors, *Baseline Atmospheric Program: Australia 1990.*, pages 10–16. (Bureau of Meteorology (DEST) and CSIRO, Australia, 1992.
- [158] I. G. Enting, C. M. Trudinger, and R. J. Francey. A synthesis inversion of the concentration and $\delta^{13}\text{C}$ of atmospheric CO₂. *Tellus*, 47B:35–52, 1995.
- [159] I. G. Enting, T. M. L. Wigley, and M. Heimann. Future emissions and concentrations of carbon dioxide: Key ocean/atmosphere/land analyses. CSIRO Division of Atmospheric Research Technical Paper no. 31 (CSISO: Australia), 1994.
- [160] D. M. Etheridge, L. P. Steele, R. J. Francey, and R. L. Langenfelds. Atmospheric methane between 1000 A.D. and present: Evidence of anthropogenic emissions and climatic variability. *J. Geophys. Res.*, 103D:15979–15993, 1998.
- [161] S. N. Evans and P. B. Stark. Inverse problems as statistics. *Inverse Problems*, 18:R55–R97, 2002.
- [162] P. Fabian, R. Borchers, R. Leifer, B. H. Subbaraya, S. Lal, and M. Boy. Global stratospheric distribution of halocarbons. *Atmos. Environment*, 30:1787–1796, 1996.
- [163] P. Falkowski, R. J. Scholes, E. Boyle, J. Canadell, D. Canfield, J. Elser, N. Gruber, K. Hibbard, P. Höberg, S. Linder, F. T. Mackenzie, B. Moore III, T. Pedersen, Y. Rosenthal, S. Seitzinger, V. Smetacek, and W. Steffan. The global carbon cycle: A test of our knowledge of the earth as a system. *Science*, 290:291–296, 2000.
- [164] S.-M. Fan, T. L. Blain, and J. L. Sarmiento. Terrestrial carbon sink in the northern hemisphere estimated from the atmospheric CO₂ difference between Mauna Loa and South Pole since 1959. *Tellus*, 51B:863–870, 1999.
- [165] S.-M. Fan, M. Gloor, J. Mahlman, S. Pacala, J. Sarmiento, T. Takahashi, and P. Tans. A large terrestrial carbon sink in North America implied by atmospheric and oceanic carbon dioxide data and models. *Science*, 282:442–446, 1998.
- [166] S.-M. Fan, J. L. Sarmiento, M. Gloor, and S. W. Pacala. On the use of regularization techniques in the inverse modeling of atmospheric carbon dioxide. *J. Geophys. Res.*, 104D:21503–21512, 1999.
- [167] J. C. Farman, B. G. Gardiner, and J. D. Shanklin. Large losses of total ozone in Antarctica reveal seasonal ClO_x/NO_x interaction. *Nature*, 315:207–210, 1985.
- [168] J. Feichter. Atmospheric chemistry and aerosol dynamics. In Mote and O’Neill [368], pages 353–374.
- [169] M. Fisher and D. J. Lary. Lagrangian four-dimensional variational data assimilation of chemical species. *Q. J. R. Meteorol. Soc.*, 121:1681–1704, 1995.
- [170] R. A. Fisher. On the mathematical foundations of theoretical statistics. *Philos. Trans. Royal Soc. London*, 222:309–368, 1921.
- [171] B. Foulger and P. Simmonds. Drier for field use in the determination of trace atmospheric gases. *Anal. Chem.*, 51:1089–1090, 1979.
- [172] R. Francey, editor. *Report of the Ninth WMO Meeting of Experts on Carbon Dioxide Concentration and Related Tracer Measurement Techniques*. Number 132 in Global Atmospheric Watch Report Series. World Meteorological Organization, Geneva, 1997.
- [173] R. J. Francey, C. E. Allison, C. M. Trudinger, P. J. Rayner, I. G. Enting, and L. P. Steele. The interannual variation in global atmospheric $\delta^{13}\text{C}$ and its link to net terrestrial exchange [AT55 oral presentation]. In CO2SENDAI [78], pages 43–46.

- [174] R. J. Francey, L. P. Steele, R. L. Langenfelds, M. P. Lucarelli, C. E. Allison, D. J. Beardsmore, S. A. Coram, N. Derek, F. R. de Silva, D. M. Etheridge, P. J. Fraser, R. J. Henry, B. Turner, E. D. Welch, D. A. Spencer, and L. N. Cooper. Global atmospheric sampling laboratory (GASLAB): Supporting and extending the Cape Grim trace gas programs. In R. J. Francey, A. L. Dick, and N. Derek, editors, *Baseline Atmospheric Program Australia 1993.*, pages 8–29. Bureau of Meteorology and CSIRO, Australia, 1996.
- [175] R. J. Francey and P. P. Tans. Latitudinal variation in oxygen-18 in CO₂. *Nature*, 327:495–497, 1987.
- [176] R. J. Francey, P. P. Tans, C. E. Allison, I. G. Enting, J. W. C. White, and M. Trolier. Changes in oceanic and terrestrial carbon uptake since 1982. *Nature*, 373:326–330, 1995.
- [177] G. Franssens, D. Fonteyn, M. De Mazière, and D. Fussen. A comparison between interpolation and assimilation as cartography methods for the SAGE II aerosol product. In Kasibhatla et al. [276], pages 155–169.
- [178] P. Friedlingstein, J. L. Dufresne, P. M. Cox, and P. J. Rayner. How positive is the feedback between climate change and the carbon cycle? *Tellus*, 55B:692–700, 2003.
- [179] J. P. Friend and R. J. Charlson. Double tracer techniques for studying air pollution. *Environmental Science and Technology*, 3:1181–1182, 1969.
- [180] I. Fung, K. Prentice, E. Matthews, J. Lerner, and G. Russell. Three-dimensional tracer model study of atmospheric CO₂: response to seasonal exchanges with the terrestrial biosphere. *J. Geophys. Res.*, 88C:1281–1994, 1983.
- [181] I. Fung, P. J. Rayner, P. Friedlingstein, and D. Sahagian. Full-form earth system models: coupled carbon-climate interaction experiment (the “flying leap”). *Global Change Newsletter*, 41:78, 2000.
- [182] I. Y. Fung, C. B. Field, J. A. Berry, M. V. Thompson, J. T. Randerson, C. M. Malmström, P. M. Vitousek, G. J. Collatz, P. J. Sellers, D. A. Randall, A. S. Denning, F. Badeck, and J. John. Carbon 13 exchanges between atmosphere and biosphere. *Global Biogeochemical Cycles*, 11:507–533, 1997.
- [183] I. Y. Fung, J. John, J. Lerner, E. Matthews, M. Prather, L. P. Steele, and P. J. Fraser. Three-dimensional model synthesis of the global methane cycle. *J. Geophys. Res.*, 96D:13033–13065, 1991.
- [184] I. Y. Fung, C. J. Tucker, and K. C. Prentice. Application of advanced very high resolution radiometer vegetation index to study atmosphere-biosphere exchange of CO₂. *J. Geophys. Res.*, 92D:2999–3015, 1987.
- [185] A. Ganachaud and C. Wunsch. Improved estimates of global ocean circulation, heat transport and mixing from hydrographic data. *Nature*, 408:453–457, 2000.
- [186] R. Garcia, P. Hess, and A. Smith. Atmospheric dynamics and transport. In Brasseur et al. [53], chapter 2.
- [187] J. R. Garratt. *The Atmospheric Boundary Layer*. CUP, Cambridge, UK, 1992.
- [188] W. L. Gates. AMIP: the atmospheric model intercomparison project. *Bull. Amer. Meteorol. Soc.*, 73:1962–1970, 1992.
- [189] W. L. Gates, J. S. Boyle, C. Covey, C. G. Dease, C. M. Doutriaux, R. S. Drach, M. Fiorino, P. J. Glecker, J. J. Hnilo, S. M. Marlais, T. J. Phillips, G. L. Potter, B. J. Santer, K. R. Sperber, K. E. Taylor, and D. N. Williams. An overview of the results of the atmospheric model intercomparison project (AMIP). *Bull. Amer. Meteorol. Soc.*, 80:29–55, 1999.
- [190] A. Gaudry, P. Monfray, G. Polian, G. Bonsang, B. Ardouin, A. Jegou, and G. Lambert. Non-seasonal variations of atmospheric CO₂ concentrations at Amsterdam Island. *Tellus*, 43B:136–143, 1991.
- [191] A. Gelb, editor. *Applied Optimal Estimation*. MIT Press, Cambridge, Mass., 1974.
- [192] C. Genthon and A. Armengaud. Radon 222 as a comparative tracer of transport and mixing in two general circulation models of the atmosphere. *J. Geophys. Res.*, 100D:2849–2866, 1995.
- [193] M. W. Gery, G. Z. Whitten, J. P. Killus, and M. C. Dodge. A photochemical kinetics mechanism for urban and regional scale computer modeling. *J. Geophys. Res.*, 94D:12925–12956, 1989.
- [194] R. Giering. Tangent linear and adjoint biogeochemical models. In Kasibhatla et al. [276], pages 33–48.
- [195] A. E. Gill. *Atmosphere-Ocean Dynamics*. Academic Press, New York, 1982.
- [196] J. Gleik. *Chaos: Making A New Science*. Viking, New York, 1987.
- [197] Global Carbon Project. Science framework and implementation, 2003. GCP Report no. 1.
- [198] GLOBAL-VIEW CO₂. Cooperative atmospheric data integration project — carbon dioxide. CD-ROM. Technical report, NOAA CMDL, Boulder Colorado, 2000. (Also available, with regularly updates, by anonymous ftp from ftp.cmdl.noaa.gov on path ccg/co2/GLOBALVIEW).

- [199] M. Gloor, S.-M. Fan, S. Pacala, and J. Sarmiento. A model-based evaluation of inversions of atmospheric transport, using annual mean mixing ratios, as a tool to monitor fluxes of nonreactive trace substances like CO₂ on a continental scale. *J. Geophys. Res.*, 104D:14245–14260, 1999.
- [200] M. Gloor, S.-M. Fan, S. Pacala, and J. Sarmiento. Optimal sampling of the atmosphere for purpose of inverse modelling. A model study. *Global Biogeochemical Cycles*, 14:407–428, 2000.
- [201] R. Gordon and G. T. Herman. Three-dimensional reconstruction from projections: A review of algorithms. *Int. Rev. Cytology*, 38:111–151, 1974.
- [202] T. E. Graedel, T. S. Bates, A. F. Bouwman, D. Cunnold, J. Dignon, D. J. Jacob, B. K. Lamb, J. A. Logan, G. Marland, J. M. Middleton, M. Placet, and G. Veldt. A compilation of inventories of emissions to the atmosphere. *Global Biogeochemical Cycles*, 7:1–26, 1993.
- [203] H. Granek. Generalized smoothing splines in CO₂ analysis. *J. Geophys. Res.*, 100D:16857–16865, 1995.
- [204] J. Green. *Atmospheric Dynamics*. CUP, Cambridge, UK, 1999.
- [205] M. Grubb. *The Kyoto Protocol: A Guide and Assessment*. Royal Institute for International Affairs, London, 1999.
- [206] K. Gurney, Law R. M., S. Denning, P. J. Rayner, and TransCom3 Modelers. The TransCom 3 experiment: key results from an atmospheric carbon cycle inversion intercomparison [MA12 oral presentation]. In CO2SENDAI [78], pages 719–721.
- [207] K. R. Gurney, A. S. Denning, R. M. Law, and P. J. Rayner. The TransCom 3 experiment: towards robust regional estimates of carbon sources and sinks using atmospheric transport models. *Global Change Newsletter*, 57:3–7, 2004.
- [208] K. R. Gurney, R. M. Law, A. S. Denning, P. J. Rayner, D. Baker, P. Bousquet, L. Bruhwiler, Y. H. Chen, P. Ciais, S. Fan, I. Y. Fung, M. Gloor, M. Heimann, K. Higuchi, J. John, E. A. Kowalczyk, T. Maki, S. Maksyutov, P. Peylin, M. Prather, B. C. Pak, J. Sarmiento, S. Taguchi, T. Takahashi, and C. W. Yuen. TransCom 3 CO₂ inversion intercomparison: 1. Annual mean control results and sensitivity to transport and prior flux information. *Tellus*, 55B:555–579, 2003.
- [209] K. R. Gurney, R. M. Law, A. S. Denning, P. J. Rayner, B. C. Pak, D. Baker, P. Bousquet, L. Bruhwiler, Y. H. Chen, P. Ciais, I. Y. Fung, M. Heimann, J. John, T. Maki, S. Maksyutov, P. Peylin, M. Prather, and S. Taguchi. TransCom 3 inversion intercomparison: model mean results for the estimation of seasonal carbon sources and sinks. *Global Biogeochemical Cycles*, 18:1010, 2004. doi:10.1029/2003GB002111.
- [210] K.R. Gurney, R. M. Law, A.S. Denning, P. J. Rayner, D. Baker, P. Bousquet, L. Bruhwiler, Y.-H. Chen, P. Ciais, S.M. Fan, I.Y. Fung, M. Gloor, M. Heimann, K. Higuchi, J. John, T. Maki, S. Maksyutov, K. Masarie, P. Peylin, M. Prather, B.C. Pak, J. Randerson, J. Sarmiento, S. Taguchi, T. Takahashi, and C.W. Yuen. Towards robust regional estimates of CO₂ sources and sinks using atmospheric transport models. *Nature*, 415:626–630, 2002.
- [211] P. D. Guthrie. The CH₄-CO-OH conundrum: a simple analytic approach. *Global Biogeochemical Cycles*, 3:287–298, 1989.
- [212] D. E. Haas-Laursen, D. E. Hartley, and Conway T. J. Consistent sampling methods for comparing models to CO₂ flask data. *J. Geophys. Res.*, 102D:19059–19071, 1997.
- [213] D. E. Haas-Laursen, D. E. Hartley, and R. G. Prinn. Optimizing an inverse method to deduce time-varying emissions of trace gases. *J. Geophys. Res.*, 101D:22823–22831, 1996.
- [214] B. D. Hall, J. W. Elkins, J. H. Butler, S. A. Montzka, T. M. Thompson, L. del Negro, G. S. Dutton, D. F. Hurst, D. B. King, E. S. Kline, L. Lock, D. MacTaggart, D. Mondeel, F. L. Moore, J. D. Nance, E. A. Ray, , and P. A. Romashkin. Halocarbons and other atmospheric trace species. In R. C. Schnell, D. B. King, and R. M. Rosson, editors, *Climate Monitoring and Diagnostics Laboratory: Summary Report, no. 25, 1998–1999*. US Dept. Commerce, Washington, 2001.
- [215] F. G. Hall. Introduction to the special section: BOREAS in 1999: experiment and science overview. *J. Geophys. Res.*, 104D:27627–27639, 1999.
- [216] T. M. Hall and R. A. Plumb. Age as a diagnostic of stratospheric transport. *J. Geophys. Res.*, 99D:1059–1070, 1994.
- [217] T. M. Hall and D. W. Waugh. Timescales for the stratospheric circulation derived from tracers. *J. Geophys. Res.*, 102D:8991–9001, 1997.
- [218] T. M. Hall and D. W. Waugh. Influence of nonlocal chemistry on tracer distributions: Inferring the mean age of air from SF₆. *J. Geophys. Res.*, 103D:13327–13336, 1998.
- [219] M. Hardt and F. Scherbaum. The design of optimum networks for aftershock recordings. *Geophys. J. Int.*, 117:716–726, 1994.

- [220] J. Harnsich, R. Borchers, P. Fabian, and M. Maiss. Tropospheric trends for CF₄ and C₂F₆ since 1982 derived from SF₆ dated stratospheric air. *Geophys. Res. Lett.*, 1996.
- [221] D. Hartley and R. Prinn. Comment on “Tropospheric OH in a three-dimensional chemical tracer model: An assessment based on observations of CH₃CCl₃” by C. M. Spivakovsky et al. *J. Geophys. Res.*, 96D:17383–19387, 1991.
- [222] D. Hartley and R. Prinn. Feasibility of determining surface emissions of trace gases using an inverse method in a three-dimensional chemical transport model. *J. Geophys. Res.*, 98D:5183–5197, 1993.
- [223] L. D.D. Harvey. *Global Warming: The Hard Science*. Prentice Hall (Pearson Education Ltd), Harlow, UK, 2000.
- [224] D. E. Heard. New directions: Measuring the elusive tropospheric hydroxyl radical. *Atmos. Environment*, 32:801–802, 1998.
- [225] M. Heimann, editor. *The Global Carbon Cycle*. Springer-Verlag, Heidelberg, 1993.
- [226] M. Heimann. A review of the contemporary global carbon cycle and as seen a century ago by Arrhenius and Högbom. In H. Rodhe and R. Charlson, editors, *The Legacy of Svante Arrhenius: Understanding the Greenhouse Effect*, pages 43–57. Royal Swedish Academy of Sciences, Stockholm, 1998.
- [227] M. Heimann and T. Kaminski. Inverse modelling approaches to infer surface trace gas fluxes from observed atmospheric mixing ratios. In A. F. Bouwman, editor, *Approaches to scaling of trace gas fluxes in ecosystems*, pages 277–295. Elsevier, Amsterdam, 1999.
- [228] M. Heimann and C. D. Keeling. Meridional eddy diffusion model of the transport of atmospheric carbon dioxide 1. Seasonal carbon cycle over the tropical Pacific ocean. *J. Geophys. Res.*, 91D:7765–7781, 1986.
- [229] M. Heimann, C. D. Keeling, and C. J. Tucker. A three-dimensional model of atmospheric CO₂ transport based on observed winds. 3. Seasonal cycle and synoptic time scale variations. In Peterson [400].
- [230] M. Heimann and E. Maier-Reimer. On the relations between the oceanic uptake of CO₂ and its isotopes. *Global Biogeochemical Cycles*, 10:89–110, 1996.
- [231] R. Hein, P. J. Crutzen, and M. Heimann. An inverse modeling approach to investigate the global methane cycle. *Global Biogeochemical Cycles*, 11:43–76, 1997.
- [232] R. Hein and M. Heimann. Determination of global scale emissions of atmospheric methane using an inverse modelling method. In J. van Ham, L. H. J. M. Janssen, and R. J. Swart, editors, *Non-CO₂ Greenhouse Gases.*, pages 271–281. Kluwer, Dordrecht, 1994.
- [233] A. Henderson-Sellers, A. J. Pitman, P. K. Love, P. Irannejad, and T. H. Chen. The project for intercomparison of land-surface parameterization schemes (PILPS): Phases 2 and 3. *Bull. Amer. Meteorol. Soc.*, 76:489–503, 1995.
- [234] R. C. Henry, C. W. Lewis, P. K. Hopke, and H. J. Williamson. Review of receptor model fundamentals. *Atmos. Environment*, 18:1507–1515, 1984.
- [235] W. S. Hering. Ozone and atmospheric transport processes. *Tellus*, 18:329–336, 1966.
- [236] V. Heshaimer, M. Heimann, and I. Levin. Radiocarbon evidence for a smaller oceanic carbon dioxide sink than previously believed. *Nature*, 370:210–230, 1994.
- [237] J. R. Holton. *An Introduction to Dynamical Meteorology*. Academic Press, San Diego, 3rd edition, 1992.
- [238] J. R. Holton, P. H. Haynes, M. E. McIntyre, A. R. Douglass, R. B. Rood, and L. Pfister. Stratosphere-troposphere exchange. *Rev. Geophys.*, 33:403–439, 1995.
- [239] J. T. Houghton, B. A. Callander, and S. K. Varney, editors. *Climate Change 1992: The Supplementary Report to the IPCC Scientific Assessment*. Published for the IPCC by CUP, Cambridge, UK, 1992.
- [240] J. T. Houghton, Y. Ding, D. J. Griggs, M. Noguer, P. J. van der Linden, X. Dai, K. Maskell, and C. A. Johnson, editors. *Climate Change 2001: The Scientific Basis*. Published for the IPCC by CUP, Cambridge, UK, 2001.
- [241] J. T. Houghton, G. J. Jenkins, and J. J. Ephraums, editors. *Climate Change: The IPCC Scientific Assessment*. Published for the IPCC by CUP, Cambridge, UK, 1990.
- [242] J. T. Houghton, L. G. Meira Filho, J. Bruce, Hoesung Lee, B. A. Callander, E. Haites, N. Harris, and K. Maskell, editors. *Climate Change 1994: Radiative Forcing of Climate Change and An Evaluation of the IPCC IS92 Emission Scenarios*. Published for the IPCC by CUP, Cambridge, UK, 1995.

- [243] J. T. Houghton, L. G. Meira Filho, N. Callander, B. A. Harris, A. Kattenberg, and K. Maskell, editors. *Climate Change 1995: The Science of Climate Change*. Published for the IPCC by CUP, Cambridge, UK, 1996.
- [244] S. Houweling. *Global Modeling of Atmospheric Methane Sources and Sinks*. Doctoral dissertation, University of Utrecht, 1999.
- [245] S. Houweling, F. Dentener, and J. Lelieveld. Simulation of preindustrial atmospheric methane to constrain the global source strength of natural wetlands. *J. Geophys. Res.*, 105:17243–17255, 2000.
- [246] S. Houweling, F. Dentener, J. Lelieveld, B. Walter, and E. Dlugokencky. The modeling of tropospheric methane: How well can point measurements be reproduced by a global model? *J. Geophys. Res.*, 105D:8981–9002, 2000.
- [247] S. Houweling, T. Kaminski, F. Dentener, J. Lelieveld, and M. Heimann. Inverse modeling of methane sources and sinks using the adjoint of a global transport model. *J. Geophys. Res.*, 104D:26137–26160, 1999.
- [248] J. Huang. *Optimal Determination of Global Tropospheric OH Concentrations Using Multiple Trace Gases*. Ph. D. thesis, MIT, Cambridge, Mass., 2000. Report no. 65 of Center for Global Change Science.
- [249] P. J. Huber. *Robust Statistics*. Wiley, New York, 1981.
- [250] J. W. Hurrell, H. van Loon, and D. J. Shea. The mean state of the troposphere. In D. J. Karoly and D. G. Vincent, editors, *Meteorology of the Southern Hemisphere*, pages 1–46. American Meteorological Society, Boston, Mass., 1998. Meteorological Monographs, vol. 27. no. 49.
- [251] D. F. Hurst, P. S. Bakwin, and J. W. Elkins. Recent trends in the variability of halogenated trace gases over the United States. *J. Geophys. Res.*, 103D:25299–25306, 1998.
- [252] K. Ide, P. Courtier, M. Ghil, and A. Lorenc. Unified notation for data assimilation: Operational, sequential and variational. *J. Meteorol. Soc. Jap.*, 57:181–189, 1997.
- [253] Noilhan J., E. Bazile, J.-L. Champeaux, and D. Giard. Examples of the use of satellite data in numerical weather prediction models. In M. M. Verstraete, M. Menenti, and J. Peltoniemi, editors, *Observing Land from Space: Science, Customers and Technology*, pages 61–69. Kluwer, Dordrecht, 2000.
- [254] D. D. Jackson. Interpretation of inaccurate, insufficient and inconsistent data. *Geophys. J. R. astr. Soc.*, 28:97–109, 1972.
- [255] M. A. Jackson. *Principles of Program Design*. Academic, London, 1975.
- [256] D. J. Jacob, M. J. Prather, P. J. Rasch, R.-L. Shia, Y. J. Balkanski, S. R. Beagley, D. J. Bergmann, W. T. Blackshear, M. Brown, M. Chiba, M. P. Chipperfield, J. de Grandpré, J. E. Dignon, J. Feichter, C. Genthon, W. L. Grose, P. S. Kasibhatla, I. Köhler, M. A. Kritz, K. Law, J. E. Penner, M. Ramonet, C. E. Reeves, D. A. Rotman, D. Z. Stockwell, P. F. J. van Velthoven, G. Verver, O. Wild, H. Yang, and P. Zimmermann. Evaluation and intercomparisons of global atmospheric transport models using ^{222}Rn and other short-lived tracers. *J. Geophys. Res.*, 102D:5953–5970, 1997.
- [257] D. J. Jacob, M. J. Prather, S. C. Wofsy, and B. McElroy. Atmospheric distribution of ^{85}Kr simulated with a general circulation model. *J. Geophys. Res.*, 92D:6614–6626, 1987.
- [258] M. Z. Jacobson, , and R. P. Turco. SMVGEAR: A sparse-matrix vectorized Gear code for atmospheric models. *Atmos. Environment*, 28:273–284, 1994.
- [259] S. V. Jagovkina, I. L. Karol, V. A. Zubov, V. E. Lagun, A. I. Reshetnikov, and E. V. Rozanov. Reconstruction of the methane fluxes from the west Siberia gas fields by the 3D regional chemical transport model. *Atmos. Environment*, 34:5319–5328, 2000.
- [260] I. N. James. *Introduction to Circulating Atmospheres*. CUP, Cambridge, UK, 1994.
- [261] H. Jeffreys. *Theory of Probability*. Clarendon, Oxford, 2nd edition, 1948.
- [262] B. T. Jobson, S. A. McKeen, D. D. Parrish, F. C. Fehsenfeld, D. R. Blake, A. H. Goldstein, S. M. Schauffler, and J. W. Elkins. Trace gas mixing ratio variability versus lifetime in the troposphere and stratosphere: observations. *J. Geophys. Res.*, 104D:16091–16113, 1999.
- [263] F. Joos, M. Bruno, R. Fink, U. Siegenthaler, T. Stocker, C. Le Quéré, and J. L. Sarmiento. An efficient and accurate representation of complex oceanic and biospheric models of anthropogenic carbon uptake. *Tellus*, 48B:397–417, 1996.
- [264] C. E. Junge. Global ozone budget and exchange between stratosphere and troposphere. *Tellus*, 14:363–377, 1962.
- [265] C. E. Junge. Note on the exchange rate between the northern and southern atmosphere. *Tellus*, 14:242–246, 1962.
- [266] C. E. Junge. Residence time and variability of tropospheric gases. *Tellus*, 26:477–487, 1974.

- [267] C. E. Junge and G. Czeplak. Some aspects of the seasonal variation of carbon dioxide and ozone. *Tellus*, 20:422–434, 1968.
- [268] R. L. Kagan. *Averaging of Meteorological Fields*. Kluwer, Dordrecht, 1997. (Trans. from 1979 Russian edition) eds. L. S. Gandin and T. M. Smith.
- [269] T. Kaminski. *On the Benefit of the Adjoint Technique for Inversion of the Atmospheric Transport Employing Carbon Dioxide as an Example of a Passive Tracer*. Ph. D. thesis, Universität Hamburg, 1998.
- [270] T. Kaminski, R. Giering, M. Scholze, P. J. Rayner, and W. Knorr. An example of an automatic differentiation-based modelling system. In V. Kumar, L. Gavrilova, C. J. K. Tan, and P. L’Ecuyer, editors, *Computational Science — ICCSA 2003, International Conference Proceedings, Montreal, Canada*, pages 95–104. Springer, Berlin, 2003. (Lecture Notes in Computer Science, 2668).
- [271] T. Kaminski, M. Heimann, and R. Geiring. A global scale inversion of the transport of CO₂ based on a matrix representation of an atmospheric transport model derived by its adjoint. In 97CO₂ [1], pages 147–148. Editors: R. Baum and I. Enting and R. Francey and P. Holper and M. Hopkins.
- [272] T. Kaminski, W. Knorr, P. J. Rayner, and M. Heimann. Assimilating atmospheric data into a terrestrial biosphere model: A case study of the seasonal cycle. *Global Biogeochemical Cycles*, 16:1066, 2002. doi:10.1029/2001GB001463.
- [273] T. Kaminski, P. J. Rayner, M. Heimann, and I. G. Enting. On aggregation errors in atmospheric transport inversions. *J. Geophys. Res.*, 106:4703–4715, 2001.
- [274] M. Kandlikar. Bayesian inversion for reconciling uncertainties in global mass balances. *Tellus*, 49B:123–135, 1997.
- [275] D. J. Karoly, D. G. Vincent, and J. M. Schrage. General circulation. In D. J. Karoly and D. G. Vincent, editors, *Meteorology of the Southern Hemisphere*, pages 47–85. American Meteorological Society, Boston, Mass., 1998. Meteorological Monographs, vol. 27. no. 49.
- [276] P. Kasibhatla, M. Heimann, P. Rayner, N. Mahowald, R. G. Prinn, and D. E. Hartley, editors. *Inverse Methods in Global Biogeochemical Cycles. (Geophysical Monograph no. 114)*. American Geophysical Union, Washington D.C., 2000.
- [277] C. D. Keeling, R. B. Bacastow, A. E. Bainbridge, C. A. Ekdahl, L. S. Guenther, P. R. Waterman, , and J. Chin. Atmospheric carbon dioxide variations at Mauna Loa observatory, Hawaii. *Tellus*, 28:538–551, 1976.
- [278] C. D. Keeling, R. B. Bacastow, A. F. Carter, S. C. Piper, T. P. Whorf, M. Heimann, W. G. Mook, and H. Roeloffzen. A three-dimensional model of atmospheric CO₂ transport based on observed winds. 1: Analysis of observational data. In Peterson [400].
- [279] C. D. Keeling, P. R. Guenther, and D. J. Moss. Scripps reference gas calibration system for carbon dioxide-in-air standards: Revision 1985. Technical Report Publication no. 42. (WMO/TD-125), Environmental Pollution Monitoring and Research Programme (WMO), Geneva, 1986.
- [280] C. D. Keeling and M. Heimann. Meridional eddy diffusion model of the transport of atmospheric carbon dioxide 2. Mean annual carbon cycle. *J. Geophys. Res.*, 91D:7782–7796, 1986.
- [281] C. D. Keeling, S. C. Piper, and M. Heimann. A three-dimensional model of atmospheric CO₂ transport based on observed winds. 4: Mean annual gradients and interannual variations. In Peterson [400].
- [282] C. D. Keeling, T. P. Whorf, M. Wahlen, and J. van der Plicht. Interannual extremes in the rate of rise of atmospheric carbon dioxide since 1980. *Nature*, 375:666–670, 1995.
- [283] R. F. Keeling. *Development of an Interferometric Oxygen Analyzer for Precise Measurement of the Atmospheric O₂ Mole Fraction*. Ph. D. thesis, Harvard, 1988.
- [284] R. F. Keeling, R. P. Najjar, M. L. Bender, and P. P. Tans. What atmospheric oxygen measurements can tell us about the global carbon cycle. *Global Biogeochemical Cycles*, 7:37–67, 1993.
- [285] V. I. Keilis-Borok and T. B. Yanovskaya. Inverse problems in seismology. *Geophys. J.*, 13:223–234, 1967.
- [286] M. G. Kendall and A. Stuart. *The Advanced Theory of Statistics. Volume 2: Inference and Relationship*. Charles Griffin and Co., London, 1967.
- [287] B. W. Kernighan and P. J. Plauger. *The Elements of Programming Style*. McGraw-Hill, New York, 2nd edition, 1978.
- [288] M. A. K. Khalil and R. A. Rasmussen. Atmospheric methyl chloride. *Atmos. Environment*, 33:1305–1321, 1999.

- [289] M. A. K. Khalil and M. J. Shearer, editors. *Atmospheric Methane: Sources, Sinks and Role in Global Change*. Proceedings of the NATO Advanced Research Workshop, Mt. Hood Oregon, October 1991. Pergamon, Oxford, 1993. Reprinted from *Chemosphere*, **26**, 1–4.
- [290] N. R. Khalili, P. A. Scheff, and T. M. Holsen. PAH source fingerprints for coke ovens, diesel and gasoline engines, highway tunnels, and wood combustion emissions. *Atmos. Environment*, 29:533–542, 1995.
- [291] B. V. Khattatov, J.-F. Lamarque, L. V. Lyjak, R. Menard, P. Levelt, X. Tie, G. P. Brasseur, and J. C. Gille. Assimilation of satellite observations of long-lived chemical species in global chemistry transport models. *J. Geophys. Res.*, 105D:29135–29144, 2000.
- [292] H. A. Ksheshgi, A. K. Jain, V. R. Kotamarthi, and D. J. Wuebbles. Future atmospheric methane concentrations in the context of the stabilization of greenhouse gas concentrations. *J. Geophys. Res.*, 104D:19183–19190, 1999.
- [293] W. Knorr and M. Heimann. Impact of drought stress and other factors on seasonal land biosphere CO₂ exchange studied through an atmospheric tracer transport model. *Tellus*, 47B:471–489, 1995.
- [294] E. A. Kowalczyk and J. L. McGregor. Modeling trace gas concentrations at Cape Grim using the CSIRO Division of Atmospheric Research Limited Area Model (DARLAM). *J. Geophys. Res.*, 105D:22167–22183, 2000.
- [295] E. B. Kraus and J. A. Businger. *Atmosphere-Ocean Interaction*. OUP, New York, 2nd edition, 1994.
- [296] C. Kroeze, A. Mosier, and L. Bouwman. Closing the global N₂O budget: A retrospective analysis 1500–1994. *Global Biogeochemical Cycles*, 13:1–8, 1999.
- [297] M. Krol, P. van Leeuwen, and J. Lelieveld. Global OH trend inferred from methylchloroform measurements. *J. Geophys. Res.*, 103D:10697–10711, 1998.
- [298] M. S. Krol and H. J. van der Woerd. Atmospheric composition calculations for evaluation of climate scenarios. *Water, Air and Soil Pollution*, 76:259–281, 1994. (Reprinted in *IMAGE 2.0: Integrated Modeling of Global Climate Change*. Ed. J. Alcamo. (Kluwer: Dordrecht).
- [299] B. Kruijt, A. J. Dolman, J. Lloyd, J. Ehleringer, M. Raupach, and J. Finnigan. Assessing the regional carbon balance: Towards an integrated, multiple constraints approach. *Change*, 56, (March–April 2001):9–12, 2001.
- [300] T. S. Kuhn. *The Structure of Scientific Revolutions*. U. Chicago Press, Chicago, 2nd edition, 1970.
- [301] R. L. Langenfelds, R. J. Francey, L. P. Steele, M. Battle, R. F. Keeling, and W. F. Budd. Partitioning of the global fossil CO₂ sink using a 19-year trend in atmospheric O₂. *Geophys. Res. Lett.*, 26:1897–1900, 1999.
- [302] R. L. Langenfelds, R. J. Francey, L. P. Steele, R. F. Keeling, M. L. Bender, M. Battle, , and W. F. Budd. Measurements of O₂/N₂ ratio from the Cape Grim air archive and three independent flask sampling programs. In *Baseline Atmospheric Program Australia: 1996*, pages 57–70. Bureau of Meteorology and CSIRO Atmospheric Research, Australia, 1999.
- [303] R. L. Langenfelds, P. J. Fraser, R. J. Francey, L. P. Steele, L. W. Porter, and C. E. Allison. The Cape Grim air archive: the first seventeen years. In R. J. Francey, A. L. Dick, and N. Derek, editors, *Baseline Atmospheric Program (Australia) 1994–95.*, pages 53–70. Bureau of Meteorology and CSIRO, Melbourne, 1996.
- [304] D. J. Lary, S. Hall, and M. Fisher. Atmospheric chemical data assimilation. In *SODA Workshop on Chemical Data Assimilation: Proceedings.*, pages 99–105. KNMI (Royal Netherlands Meteorological Institute), de Bilt, Netherlands), 1999.
- [305] K. R. Lassey, D. C. Lowe, and M. R. Manning. The trend in atmospheric methane $\delta^{13}\text{C}$ and implications for isotopic constraints on the global methane budget. *Global Biogeochemical Cycles*, 14:41–49, 2000.
- [306] R. M. Law. The selection of model-generated CO₂ data: a case study with seasonal biospheric sources. *Tellus*, 48B:474–486, 1996.
- [307] R. M. Law. CO₂ sources from a mass-balance inversion: sensitivity to the surface constraint. *Tellus*, 51B:254–265, 1999.
- [308] R. M. Law, Y.-H. Chen, K. R. Gurney, and TransCom3 modellers. Transcom 3 CO₂ inversion intercomparison: 2. Sensitivities to annual mean results to data choices. *Tellus*, 55B:580–595, 2003.
- [309] R. M. Law and P. J. Rayner. Impacts of seasonal covariance on CO₂ inversions. *Global Biogeochemical Cycles*, 13:845–856, 1999.
- [310] R. M. Law, P. J. Rayner, A. S. Denning, D. Erickson, I. Y. Fung, M. Heimann, S. C. Piper, M. Ramonet, S. Taguchi, J. A. Taylor, C. M. Trudinger, and I. G. Watterson. Variations in modeled atmospheric transport of carbon dioxide and the consequences for CO₂ inversions. *Global Biogeochemical Cycles*, 10:783–796, 1996.

- [311] R. M. Law, P. J. Rayner, L. P. Steele, and I. G. Enting. Using high temporal frequency data for CO₂ inversions. *Global Biogeochemical Cycles*, 16, 2002. doi:10.1029/2001GB001593.
- [312] R. M. Law, P. J. Rayner, L. P. Steele, and I. G. Enting. Data and modelling requirements for CO₂ inversions using high-frequency data. *Tellus*, 55B:512–521, 2003.
- [313] R. M. Law, P. J. Rayner, and Y. P. Wang. Inversion of diurnally varying synthetic CO₂ : Network optimization for an Australian test case. *Global Biogeochemical Cycles*, 18:1044, 2004. doi:10.1029/2003GB002136.
- [314] R. M. Law and P. Vohralik. Methane sources from mass-balance inversions: Sensitivity to transport. CSIRO Atmospheric Research Technical Paper no. 50, 2001. Electronic edition at: http://www.dar.csiro.au/publications/Law_2001a.pdf.
- [315] C. Le Quéré, O. Aumont, L. Bopp, P. Bousquet, P. Ciais, R. J. Francey, M. Heimann, C. D. Keeling, R. F. Keeling, H. Khesghi, P. Peylin, S. C. Piper, I. C. Prentice, , and P. J. Rayner. Two decades of ocean CO₂ sink and variability. *Tellus*, 55B:649–656, 2003.
- [316] C. Le Quéré, O. Aumont, L. P. Bopp, P. Bousquet, P. Ciais, R. J. Francey, M. Heimann, H. S. Khesghi, P. Peylin, S. C. Piper, I. C. Prentice, and P. J. Rayner. Two decades of ocean CO₂ sink and variability [MC07 poster presentation]. In CO2SENDAI [78], pages 919–922.
- [317] C. Le Quéré, J. C. Orr, P. Monfray, O. Aumont, and G. Madec. Interannual variability of the oceanic sink of CO₂ from 1979 through 1997. *Global Biogeochemical Cycles*, 14:1247–1265, 2000.
- [318] K. Lee, R. Wanninkhof, T. Takahashi, S. C. Doney, , and R. A. Feely. Low interannual variability in recent oceanic uptake of atmospheric carbon dioxide. *Nature*, 396:155–159, 1998.
- [319] J. Lerner, E. Matthews, and I. Fung. Methane emissions from animals: a global high-resolution data base. *Global Biogeochemical Cycles*, 2:139–156, 1988.
- [320] I. Levin. Atmospheric CO₂ in continental Europe — an alternative approach to clean air CO₂ data. *Tellus*, 39B:21–28, 1987.
- [321] I. Levin, H. Glatzel-Mattheier, T. Marik, M. Cuntz, and M. Schmidt. Verification of German methane emission inventories and their recent changes based on atmospheric observations. *J. Geophys. Res.*, 104D:3447–3456, 1999.
- [322] I. Levin, R. Graul, and N. B. A. Trivett. The CO₂ observation network in the federal republic of germany. In P. P. Tans, editor, *Report of the WMO Meeting of Experts on Carbon Dioxide Concentration and Isotopic Measurement Techniques. Lake Arrowhead, California, 14–19 October 1990*, pages 47–49. WMO, Geneva, 1992.
- [323] I. Levin and V. Hesshaimer. Refining of atmospheric transport model entries by the globally observed passive tracer distributions of ⁸⁵krypton and sulfur hexafluoride (SF₆). *J. Geophys. Res.*, 101D:16745–16755, 1996.
- [324] D. R. Lide, editor. *Handbook of Chemistry and Physics*. CRC Press, Boca Raton, Florida, 78th edition, 1997.
- [325] G. P. Livingstone and G. L. Hutchinson. Enclosure-based measurement of trace gas exchange: applications and sources of error. In P. A. Matson and R. C. Harriss, editors, *Biogenic Trace Gases: Measuring Emissions from Soil and Water*, pages 14–51. Blackwell Science, Oxford, 1995.
- [326] J. P. Lodge Jr., editor. *Methods of Air Sampling and Analysis*. Lewis Publishers, Chelsea, Michigan, 1989. Intersociety Committee: APCA, ACS, AIChE, APWA, ASME, AOAC, HPS, ISA.
- [327] A. Lorenc. Analysis methods for numerical weather prediction. *Q. J. Roy. Meteorol. Soc.*, 112:1177–1194, 1986.
- [328] E. N. Lorenz. Deterministic non-periodic flow. *J. Atmos. Sci.*, 20:130–141, 1963.
- [329] E. N. Lorenz. *The Essence of Chaos*. UCL Press, London, 1995.
- [330] J. E. Lovelock. The electron capture detector: Theory and practice. *J. Chromatogr.*, 99:3–12, 1974.
- [331] J. E. Lovelock. *Gaia: A New Look at Life on Earth*. OUP, Oxford, 1979.
- [332] F. W. Lurmann, A. C. Lloyd, , and R. Atkinson. A chemical mechanism for use in long-range transport/acid deposition computer modeling. *J. Geophys. Res.*, 91D:10905–10936, 1986.
- [333] Law R. M., P. J. Rayner, L. P. Steele, and I. G. Enting. CO₂ inversions using high temporal frequency data [MA20 poster presentation]. In CO2SENDAI [78], pages 820–822.
- [334] J. D. Mahlman. Dynamics of transport processes in the upper troposphere. *Science*, 276:1079–1083, 1997.

- [335] J. D. Mahlman and W. J. Moxim. Tracer simulation using a global general circulation model: Results from a mid-latitude instantaneous source experiment. *J. Atmos. Sci.*, 35:1340–1378, 1978.
- [336] N. M. Mahowald, R. G. Prinn, and P. J. Rasch. Deducing CCl₃F emissions using an inverse method and chemical transport models with assimilated winds. *J. Geophys. Res.*, 102D:28153–28168, 1997.
- [337] M. Maiss, L. P. Steele, R. J. Francey, P. J. Fraser, R. L. Langenfelds, N. B. A. Trivett, and I. Levin. Sulfur hexafluoride – a powerful new atmospheric tracer. *Atmos. Environment*, 30, 1996.
- [338] S. Maksyutov, T. Machida, H. Mukai, P.K Patra, T. Nakazawa, G. Inoue, and TransCom3 modellers. Effect of recent observations on Asian CO₂ estimates by transport model inversions. *Tellus*, 55B:522–529, 2003.
- [339] B. B. Mandelbrot. *Fractals: Form Chance and Dimension*. W. H. Freeman, San Francisco, 1977.
- [340] W. Mankin, E. Atlas, C. Cantrell, F. Eisle, and A. Fried. Observational methods: Instruments and platforms. In Brasseur et al. [53], chapter 11.
- [341] A. C. Manning, R. F. Keeling, and J. P. Severinghaus. Precise atmospheric oxygen measurements with a paramagnetic oxygen analyzer. *Global Biogeochemical Cycles*, 13:1107–1115, 1999.
- [342] M. R. Manning. Seasonal cycles in atmospheric CO₂ concentrations. In M. Heimann, editor, *The Global Carbon Cycle*, pages 65–94. Springer-Verlag, Heidelberg, 1993.
- [343] J. V. Mansbridge and I. G. Enting. Sensitivity studies in a two-dimensional atmospheric transport model. Division of Atmospheric Research, CSIRO Technical Paper no. 18 (CSIRO: Australia), 1989.
- [344] G. Marland and R. M. Rotty. Carbon dioxide emissions from fossil fuels: a procedure for estimation and results for 1950–82. *Tellus*, 36B:232–261, 1984.
- [345] P. Martens and J. Rotmans. *Climate Change: An Integrated Perspective*. Kluwer, Dordrecht, 1999.
- [346] F. Martín and A. Díaz. Different methods of modeling the variability in the monthly mean concentrations of atmospheric CO₂ at Mauna Loa. *J. Geophys. Res.*, 96D:18689–18704, 1991.
- [347] R. H. Maryon, , and M. J. Best. Estimating the emissions from a nuclear accident using observations of radioactivity with dispersion model products. *Atmos. Environment*, 29:1853–1869, 1995.
- [348] K. Masarie, T. Conway, E. Dlugokencky, P. Novelli, P. P. Tans, B. Vaughn, J. White, M. Troler, R. J. Francey, R. L. Langenfelds, L. P. Steele, , and C. Allison. An update on the on-going flask-air intercomparison program between NOAA CMDL carbon cycle group and the CSIRO DAR global atmospheric sampling laboratory. In R. Francey, editor, *Report of the Ninth WMO Meeting of Experts on Carbon Dioxide Concentration and Related Tracer Measurement Techniques.*, pages 40–44. World Meteorological Organization, Geneva, 1997. Global Atmospheric Watch Report Series no. 132.
- [349] K. A. Masarie and P. P. Tans. Extension and integration of atmospheric carbon dioxide data into a globally consistent measurement record. *J. Geophys. Res.*, 100D:11593–11610, 1995.
- [350] E. Matthews and I. Fung. Methane emission from natural wetlands: Global distribution, area, and environmental characteristics of sources. *Global Biogeochemical Cycles*, 1:61–86, 1987.
- [351] E. Matthews, I. Fung, and J. Lerner. Methane emissions from rice cultivation: Geographical and seasonal distribution of cultivated area and emissions. *Global Biogeochemical Cycles*, 5:3–24, 1991.
- [352] P. Mazzega. On the assimilation and inversion of small data sets under chaotic regimes. In Kasibhatla et al. [276], pages 223–237.
- [353] J. J. McCarthy. The evolution of the joint global ocean flux study project. In H. W. Ducklow R. B. Hanson and J. G. Field, editors, *The Changing Ocean Carbon Cycle: A Mid-Term Synthesis of the Joint Global Ocean Flux Study*, pages 3–15. CUP, Cambridge, UK, 2000.
- [354] M. E. McIntyre. An introduction to the generalized Lagrangian-mean description of wave mean-flow interaction. *PA-GEOPH*, 118:152–176, 1980.
- [355] P. B. Medawar. Is the scientific paper a fraud? *Listener*, 70((12 September)), 1963. Reprinted in *The Threat and the Glory: Reflections on Science and Scientists*. Ed. D. Pyke. (OUP: Oxford.
- [356] J. M. Melillo, I. C. Prentice, G. D. Farquhar, E.-D. Schultze, and O. E. Sala. Terrestrial biotic responses to environmental change and feedbacks to climate. In Houghton et al. [243], pages 445–481.
- [357] R. Ménard. Tracer assimilation. In Kasibhatla et al. [276], pages 67–79.

- [358] R. Ménard and L.-P. Chang. Stratospheric assimilation of chemical tracer observations using a Kalman filter. Part II. χ^2 validated results and analysis of variance and correlation dynamics. *Monthly Weather Rev.*, 128:2671–2686, 2000.
- [359] R. Ménard, S. E. Cohn, L.-P. Chang, and P. M. Lyster. Stratospheric assimilation of chemical tracer observations using a Kalman filter. Part I. Formulation. *Monthly Weather Rev.*, 128:2654–2671, 2000.
- [360] P. Midgley. New directions: HCFCs and HFCs: Halocarbon replacements for CFCs. *Atmos. Environment*, 31:1095–1096, 1997.
- [361] B. R. Miller, J. Huang, R. F. Weiss, R. G. Prinn, and P. J. Fraser. Atmospheric trend and lifetime of chlorodifluoromethane (HCFC-22) and the global tropospheric OH concentration. *J. Geophys. Res.*, 103D:13237–13248, 1998.
- [362] M. J. Molina and F. S. Rowland. Stratospheric sink for chlorofluoromethanes: chlorine atoms catalyzed destruction of ozone. *Nature*, 249:810–814, 1974.
- [363] P. Monfray, M. Ramonet, and D. Beardsmore. Longitudinal and vertical CO₂ gradients over the subtropical/subantarctic oceanic sink. *Tellus*, 48B:445–456, 1996.
- [364] S. A. Montzka, C. M. Spivakovsky, J. H. Butler, J. W. Elkins, L. T. Lock, and D. J. Mondeel. New observational constraints for atmospheric hydroxyl on global and hemispheric scales. *Science*, 288:500–503, 2000.
- [365] M. G. Morgan and M. Henrion. *Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis*. CUP, Cambridge, UK, 1990. (with M. Small).
- [366] S. Morimoto, T. Nakazawa, K. Higuchi, and S. Aoki. Latitudinal distribution of atmospheric CO₂ sources and sinks inferred by $\delta^{13}\text{C}$ measurements from 1985 to 1991. *J. Geophys. Res.*, 105D:24315–24326, 2000.
- [367] S. Mosca, G. Graziani, W. Klug, R. Bellasio, and R. Bianconi. A statistical methodology for the evaluation of long-range dispersion models: An application to the ETEX exercise. *Atmos. Environment*, 32:4307–4324, 1998.
- [368] P. Mote and A. O’Neill, editors. *Numerical Modeling of the Global Atmosphere*. Kluwer, Dordrecht, 2000.
- [369] E. J. Mroz, M. Alei, J. H. Cappis, P. R. Guthals, A. S. Mason, and D. J. Rokop. Antarctic atmospheric tracer experiments. *J. Geophys. Res.*, 94D:8577–8583, 1989.
- [370] M. Mulholland and J. H. Seinfeld. Inverse air pollution modelling of urban-scale carbon monoxide emissions. *Atmos. Environment*, 29:497–516, 1995.
- [371] J. E. Mulquiney and J. P. Norton. A new inverse method for trace gas flux estimation 1. State-space model identification and constraints. *J. Geophys. Res.*, 103D:1417–1427, 1998.
- [372] J. E. Mulquiney, J. A. Taylor, A. J. Jakeman, J. P. Norton, and R. G. Prinn. A new inverse method for trace gas flux estimation 2. Application to tropospheric CFC₁₃ fluxes. *J. Geophys. Res.*, 103D:1429–1442, 1998.
- [373] J. E. Mulquiney, J. A. Taylor, and J. P. Norton. Identifying global sources and sinks of greenhouse gases. In M. B. Beck, A. J. Jakeman and M. J. McAleer, editors, *Modelling Change in Environmental Systems*, pages 431–451. Wiley, Chichester, 1993.
- [374] N. Nakićenović and R. Swart, editors. *Special Report on Emission Scenarios*. CUP, Cambridge, UK, 2000. IPCC WG III Special Report.
- [375] NASA. *Earth System Science: A Program for Global Change*. NASA, Washington D.C., 1986.
- [376] B. Nemry, L. Francois, J.-C. Gérard, A. Bondeau, M. Heimann, and THE PARTICIPANTS OF THE POTSDAM NPP MODEL INTERCOMPARISON. Comparing global models of terrestrial net primary productivity (NPP): analysis of the seasonal atmospheric CO₂ signal. *Global Change Biology*, 5 (suppl.):65–76, 1999.
- [377] J. L. Neu and R. A. Plumb. Age of air in a “leaky pipe” model of stratospheric transport. *J. Geophys. Res.*, 104D:19243–19255, 1999.
- [378] R. E. Newell. The general circulation of the atmosphere and its effects on the movement of trace substances. *J. Geophys. Res.*, 68:3949–3962, 1963.
- [379] R. E. Newell, D. G. Vincent, and J. W. Kidson. Interhemispheric mass exchange from meteorological and trace substance observations. *Tellus*, 21:641–647, 1969.
- [380] G. N. Newsam and I. G. Enting. Inverse problems in atmospheric constituent studies: I. Determination of surface sources under a diffusive transport approximation. *Inverse Problems*, 4:1037–1054, 1988.

- [381] IPCC NGGIP. Good practice guidance and uncertainty management in national greenhouse gas inventories. (IPCC National Greenhouse Gas Inventories Program), 2000. Electronic edition from <http://www.ipcc.iges.or.jp/public/gp/gpgaum.htm> (links to sections as pdf files).
- [382] NOAA/NASA. *U.S. Standard Atmosphere, 1976*. U.S. Government Printing Office, Washington, 1976.
- [383] B. Noble and J. W. Daniel. *Applied Linear Algebra*. Prentice-Hall, Englewood Cliffs, N.J., 1988.
- [384] D. M. O'Brien and P. J. Rayner. Global observations of the carbon budget. 2. CO₂ column from differential absorption of reflected sunlight in the 1.61 μm band of CO₂. *Journal of Geophysical Research*, 107D, 2002. doi:10.1029/2001JD000617.
- [385] H. Oeschger and M. Heimann. Uncertainties of predictions of future atmospheric CO₂ concentrations. *J. Geophys. Res.*, 88C:1258–1262, 1983.
- [386] H. Oeschger, U. Siegenthaler, U. Schotterer, and A. Gugelmann. A box diffusion model to study the carbon dioxide exchange in nature. *Tellus*, 27:168–192, 1975.
- [387] J. G. J. Olivier, A. F. Bouwman, C. M. W. van der Maas, J. J. M. Berdowski, C. Veldt, J. P. J. Bloos, A. J. H. Visschedijk, P. Y. J. Zandveld, and J. L. Haverlag. Description of EDGAR version 2.0: A set of global emission inventories of greenhouse gases and ozone depleting substances for all anthropogenic and most natural sources on a per country basis and on 1° × 1° grid. Technical Report Report 771060-002, National Institute for Public Health and the Environment, Bilthoven, 1996.
- [388] J. Olson, M. Prather, T. Berntsen, G. Carmichael, R. Chatfield, P. Connell, R. Derwent, L. Horowitz, S. Jin, M. Kanakidou, P. Kasibhatla, R. Kotamarthi, M. Kuhn, K. Law, J. Penner, L. Perliski, S. Sillman, F. Stordal, A. Thompson, and O. Wild. Results from the intergovernmental panel on climatic change photochemical model intercomparisons (Photocomp). *J. Geophys. Res.*, 102D:5979–5991, 1997.
- [389] J. Orlanski. A rational subdivision of scales for atmospheric processes. *Bull. Amer. Meteorol. Soc.*, 56:527–530, 1975.
- [390] Wayne R. P. *Chemistry of Atmospheres. An Introduction to the Chemistry of the Atmospheres of the Earth, the Planets and Their Satellites*. OUP, Oxford, 3rd edition, 2000.
- [391] R. L. Parker. Understanding inverse theory. *Ann. Rev. Earth Plan. Sci.*, 5:35–64, 1977.
- [392] S. Parkinson and P. Young. Uncertainty and sensitivity in global carbon cycle modelling. *Climate Research*, 9:157–174, 1998.
- [393] ETEX participants. (ETEX special issue). *Atmos. Environment*, **32**, 1998.
- [394] P. K. Patra and S. Maksyutov. Incremental approach to the optimal network design for CO₂ surface source inversion. *Geophys. Res. Lett.*, 29:1459, 2002. doi:10.1029/2001/GL013943.
- [395] G. L. Pavlis and J. R. Booker. The mixed discrete-continuous inverse problem: application to the simultaneous determination of earthquake hypocenters and velocity structure. *J. Geophys. Res.*, 85B:4801–4810, 1980.
- [396] S. Peacock, M. Visbeck, and W. Broecker. Deep water formation rates inferred from global tracer distributions: an inverse approach. In Kasibhatla et al. [276], pages 185–195.
- [397] G. I. Pearman. Further studies of the comparability of baseline atmospheric carbon dioxide measurements. *Tellus*, 29:171–181, 1977.
- [398] G. I. Pearman. Atmospheric CO₂ concentration measurements. A review of methodologies, existing programmes and available data. Technical Report Report no. 3, WMO Project on Research and Monitoring of Atmospheric CO₂, Geneva, 1980.
- [399] M. V. Perry, I. C. Percival, and N. D. Weiss, editors. *Dynamical Chaos*. Royal Society, London, 1987.
- [400] D. H. Peterson, editor. *Aspects of Climate Variability of the Pacific and Western Americas. Geophysical Monograph 55*. AGU, Washington, 1989.
- [401] J. R. Petit, J. Jouzel, D. Raynaud, N. I. Barkov, J.-M. Barnola, I. Basile, M. Bender, J. Chappellaz, M. Davis, G. Delaygue, M. Delmotte, V. M. Kotlyakov, M. Legrand, V. Y. Lipenkov, C. Lorius, C. Ritz, E. Saltzman, and M. Stievenard. Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica. *Nature*, 399:429–436, 1999.
- [402] P. Peylin, P. Bousquet, P. Ciais, and P. Monfray. Differences of CO₂ flux estimates based on a ‘time-independent’ versus a ‘time-dependent’ inversion method. In Kasibhatla et al. [276], pages 295–309.

- [403] R. A. Pielke. *Mesoscale Meteorological Modeling*. Academic, Orlando, 1984.
- [404] R. A. Plumb and M. K. W. Ko. Interrelationships between mixing ratios of long-lived stratospheric constituents. *J. Geophys. Res.*, 97D:10145–10156, 1992.
- [405] R. A. Plumb and D. D. MacConalogue. On the meridional structure of long-lived tropospheric constituents. *J. Geophys. Res.*, 93D:15897–15913, 1988.
- [406] R. A. Plumb and J. D. Mahlman. The zonally averaged transport characteristics of the GFDL general circulation/transport model. *J. Atmos. Sci.*, 44:298–327, 1987.
- [407] R. A. Plumb and X. Zheng. Source determination from trace gas observations: an orthogonal function approach and results for long-lived gases with surface sources. *J. Geophys. Res.*, 101D:18569–18585, 1996.
- [408] N. Poisson, M. Kanakidou, and P. J. Crutzen. Impact of non-methane hydrocarbons on tropospheric chemistry and the oxidising power of the troposphere: 3-dimensional modelling results. *J. Atmos. Chem.*, 36:157–230, 2000.
- [409] G. Polian, G. Lambert, B. Ardouin, and A. Jegou. Long-range transport of continental radon in subantarctic and Antarctic areas. *Tellus*, 38B:178–189, 1986.
- [410] H. N. Pollack. *Uncertain Science ... Uncertain World*. CUP, Cambridge, UK, 2003.
- [411] L. P. Prahm, K. Conradsen, and L. B. Nielsen. Regional source quantification model for sulphur oxides in Europe. *Atmos. Environment*, 14:1027–1054, 1980.
- [412] M. Prather, R. Derwent, D. Ehhalt, P. Fraser, E. Sanhueza, and X. Zhou. Other trace gases and atmospheric chemistry. In J. T. Houghton, L. G. Meira Filho, J. Bruce, B. A. Callander Hoesung Lee, E. Haites, N. Harris, and K. Maskell, editors, *Climate Change 1994: Radiative Forcing of Climate Change and An Evaluation of the IPCC IS92 Emission Scenarios.*, pages 73–126. Published for the IPCC by CUP, Cambridge, UK, 1995.
- [413] M. Prather, D. Ehhalt, F. Dentener, R. Derwent, E. Dlugokencky, E. Holland, I. Isaksen, J. Katima, V. Kirchoff, P. Matson, P. Midgely, and M. Wang. Atmospheric chemistry and greenhouse gases. In Houghton et al. [240], chapter 4.
- [414] M. Prather, M. McElroy, S. Wofsy, G. Russell, and D. Rind. Chemistry of the global troposphere: Fluorocarbons as tracers of air motion. *J. Geophys. Res.*, 92D:6579–6613, 1987.
- [415] M. J. Prather. Continental sources of halocarbons and nitrous oxide. *Nature*, 317:221–225, 1985.
- [416] M. J. Prather. Lifetimes and eigenstates in atmospheric chemistry. *Geophys. Res. Lett.*, 21:801–804, 1994.
- [417] M. J. Prather. Time-scales in atmospheric chemistry: Theory for GWPs for CH₄ and CO, and runaway growth. *Geophys. Res. Lett.*, 23:2597–2600, 1996.
- [418] I. C. Prentice, G. D. Farquhar, M. J. R. Fasham, M. L. Goulden, M. Heimann, V. J. Jaramillo, H. S. Kheshgi, C. Le Quéré, R. J. Scholes, and D. W. R. Wallace. The carbon cycle and atmospheric carbon dioxide. In Houghton et al. [240], chapter 3.
- [419] F. Press. Earth models obtained by Monte Carlo inversion. *J. Geophys. Res.*, 73:5223–5234, 1968.
- [420] W. H. Press, B. P. Flannery, S. A. Teukolsky, and W. T. Vetterling. *Numerical Recipes: The Art of Scientific Computing*. CUP, Cambridge, UK, 1986.
- [421] M. B. Priestley. *Spectral Analysis and Time Series*. Academic, London, 1981.
- [422] R. Prinn, D. Cunnold, P. Fraser, R. Weiss, P. Simmonds, F. Alyea, L. P. Steele, D. Hartley, and R. H. J. Wang. Chlorofluorocarbons. In *WMO WDCGG Data Report. WDCGG no. 21*. Japan Meteorological Agency for WMO, Tokyo, 2000. (Data available on CD-ROM).
- [423] R. Prinn, D. Cunnold, R. Rasmussen, P. Simmonds, F. Alyea, A. Crawford, P. Fraser, and R. Rosen. Atmospheric trends in methylchloroform and the global average for the hydroxyl radical. *Science*, 238:945–950, 1987.
- [424] R. Prinn, D. Cunnold, R. Rasmussen, P. Simmonds, F. Alyea, A. Crawford, P. Fraser, and R. Rosen. Atmospheric emissions and trends of nitrous oxide deduced from 10 years of ALE-GAGE data. *J. Geophys. Res.*, 95D:18369–18385, 1990.
- [425] R. Prinn, D. Cunnold, P. Simmonds, F. Alyea, R. Boldi, A. Crawford, P. Fraser, D. Gutzler, D. Hartley, R. Rosen, and R. Rasmussen. Global average concentration and trend for hydroxyl radicals deduced from ALE/GAGE trichloroethane (methyl chloroform) data for 1978–1990. *J. Geophys. Res.*, 97D:2445–2461, 1992.
- [426] R. Prinn and D. Hartley. Inverse methods in atmospheric chemistry. In J. R. Barker, editor, *Progress and Problems in Atmospheric Chemistry.*, pages 172–197. World Scientific, Singapore, 1995.

- [427] R. Prinn, H. Jacoby, A. Sokolov, C. Wang, X. Xiao, Z. Yang, R. Eckhaus, P. Stone, D. Ellerman, J. Melillo, J. Fitzmaurice, D. Kicklighter, G. Holian, and Y. Liu. Integrated global system model for climate policy assessment: Feedbacks and sensitivity studies. *Climatic Change*, 41:469–546, 1999.
- [428] R. G. Prinn. Measurement equation for trace chemicals in fluids and solution of its inverse. In Kasibhatla et al. [276], pages 3–18.
- [429] R. G. Prinn, R. F. Weiss, P. J. Fraser, P. G. Simmonds, D. M. Cunnold, F. N. Alyea, S. O’Doherty, P. Salameh, B. R. Miller, J. Huang, R. H. J. Wang, D. E. Hartley, C. Harth, L. P. Steele, G. Sturrock, P. M. Midgley, and A. McCulloch. A history of chemically and radiatively important gases in air deduced from ALE/GAGE/AGAGE. *J. Geophys. Res.*, 105D:17751–17792, 2000.
- [430] R. G. Prinn, R. F. Weiss, B. R. Miller, J. Huang, F. N. Alyea, D. M. Cunnold, P. J. Fraser, D. E. Hartley, and P. G. Simmonds. Atmospheric trends and lifetime of CH_3CCl_3 and global OH concentrations. *Science*, 269:187–192, 1995.
- [431] S. C. Pryor, T. D. Davies, T. E. Hoffer, and M. B. Richman. The influence of synoptic scale meteorology on transport of urban air to remote locations in the southwestern United States of America. *Atmos. Environment*, 29:1609–1618, 1995.
- [432] J. A. Pudykiewicz. Application of adjoint tracer transport equations for evaluating source parameters. *Atmos. Environment*, 32:3039–3050, 1998.
- [433] P. Quay, S. King, D. White, M. Brockington, B. Plotkin, R. Gammon, S. Gerst, and J. Stutsman. Atmospheric C_{14}O : A tracer of OH concentration and mixing rates. *J. Geophys. Res.*, 105D:15147–15166, 2000.
- [434] P. D. Quay, S. L. King, J. Stutsman, D. O. Wilbur, L. P. Steele, I. Fung, R. H. Gammon, T. A. Brown, G. W. Farwell, P. M. Grootes, and F. H. Schmidt. Carbon isotopic composition of atmospheric CH_4 : Fossil and biomass burning source strengths. *Global Biogeochemical Cycles*, 5:25–47, 1991.
- [435] P. D. Quay, J. Stutsman, D. Wilbur, A. Snover, E. Dlugokencky, and T. Brown. The isotopic composition of atmospheric methane. *Global Biogeochemical Cycles*, 13:445–461, 1999.
- [436] P. D. Quay, B. Tilbrook, and C. S. Wong. Oceanic uptake of fossil fuel CO_2 : Carbon-13 evidence. *Science*, 256:74–79, 1992.
- [437] J. Radon. ”Über die Bestimmung von Funktionen durch ihre Integralwerte längs gewisser Mannigfaltigkeiten. (on the determination of functions from their integrals along certain manifolds). *Ber. Saechs. Akad. Wiss. Leipzig, Math. Phys.. Kl.*, 69:262–277, 1917.
- [438] T. Rahn and M. Wahlen. A reassessment of the global isotopic budget of atmospheric nitrous oxide. *Global Biogeochemical Cycles*, 14:537–543, 2000.
- [439] J. W. Raich and C. S. Potter. Global patterns of carbon dioxide emissions from soils. *Global Biogeochemical Cycles*, 9:23–36, 1995.
- [440] M. Ramonet and P. Monfray. CO_2 baseline concept in 3-D atmospheric transport models. *Tellus*, 48B:502–520, 1996.
- [441] M. Ramonet, P. P. Tans, and K. Masarie. CO_2 data assimilation. In 97CO2 [1]. Editors: R. Baum and I. Enting and R. Francey and P. Holper and M. Hopkins.
- [442] P. J. Rasch, N. M. Mahowald, and B. E. Eaton. Representations of transport, convection, and the hydrologic cycle in chemical transport models: Implications for the modeling of short-lived and soluble species. *J. Geophys. Res.*, 102D:28127–28138, 1997.
- [443] M. R. Raupach, O. T. Denmead, and F. X. Dunin. Challenges in linking atmospheric CO_2 concentrations to fluxes at local and regional scales. *Aust. J. Botany*, 40:697–716, 1992.
- [444] P. J. Rayner. Reading fingerprints of the global carbon cycle. *Met Talk*, 3:5–6, 1998.
- [445] P. J. Rayner. Atmospheric perspectives on the ocean carbon cycle. In E.-D. Schulze, M. Heimann, E. Holland S. Harrison, J. Lloyd, I. C. Prentice, and D. Schimel, editors, *Global Biogeochemical Cycles in the Climate System.*, pages 285–294. Academic, San Diego, 2001.
- [446] P. J. Rayner. Optimizing CO_2 observing networks in the presence of model error: results from TransCom 3. *Atmospheric Chemistry and Physics*, 4:413–421, 2004.
- [447] P. J. Rayner, I. G. Enting, R. J. Francey, and R. Langenfelds. Reconstructing the recent carbon cycle from atmospheric CO_2 , $\delta^{13}\text{C}$ and O_2/N_2 observations. *Tellus*, 51B:213–232, 1999.

- [448] P. J. Rayner, I. G. Enting, and C. M. Trudinger. Optimizing the CO₂ observing network for constraining sources and sinks. *Tellus*, 48B:433–444, 1996.
- [449] P. J. Rayner, R. Giering, T. Kaminski, R. Ménard, R. Todling, and C. M. Trudinger. Exercises. In Kasibhatla et al. [276], pages 81–106 (plus CD).
- [450] P. J. Rayner, W. Knorr, R. Giering, T. Kaminski, M. Heimann, and C. Le Qur. Inferring terrestrial biosphere carbon fluxes from combined inversions of atmospheric transport and process-based terrestrial ecosystem models [MB17 oral presentation]. In CO2SENDAI [78], pages 1015–1017.
- [451] P. J. Rayner and R. M. Law. A comparison of modelled responses to prescribed CO₂ sources. CRCSHM Technical Paper no. 1, 1995. (and CSIRO Division of Atmospheric Research Technical Paper no. 36 (CSIRO: Australia).
- [452] P. J. Rayner and R. M. Law. The interannual variability of the global carbon cycle. *Tellus*, 51B:210–212, 1999.
- [453] P. J. Rayner, R. M. Law, and R. Dargaville. The relationship between tropical CO₂ fluxes and the El Niño-Southern Oscillation. *Geophys. Res. Lett.*, 26:493–496, 1999.
- [454] P. J. Rayner, R. M. Law, D. M. O’Brien, T. M. Butler, and A. C. Dilley. Global observations of the carbon budget. 3. initial assessment of the impact of satellite orbit, scan geometry, and cloud on measuring CO₂ from space. *Journal of Geophysical Research - Atmospheres*, 107D:4557, 2002. doi:10.1029/2001JD000618.
- [455] P. J. Rayner and D. O’Brien. The utility of remotely sensed CO₂ concentration data in surface source inversions. *Geophys. Res. Lett.*, 28:175–178, 2001.
- [456] P. J. Rayner and D. M. O’Brien. Correction to “The utility of remotely sensed CO₂ concentration data in surface source inversions”. *Geophysical Research Letters*, 28:2429, 2001.
- [457] P. J. Rayner, D. M. O’Brien, I. Aben, and H. Schrijver. Passive near infra-red measurement of CO₂ concentration from space and its application in source inversions [MA16 oral presentation]. In CO2SENDAI [78], pages 735–738.
- [458] H. G. Reichle, V. S. Connors, J. A. Holland, W. D. Hypes, H. A. Wallio, J. C. Casas, B. B. Gormsen, M. S. Saylor, and W. D. Hesketh. Middle and upper tropospheric carbon monoxide mixing ratios as measured by a satellite-borne remote sensor during november 1981. *J. Geophys. Res.*, 91:10865–10887, 1986.
- [459] E. R. Reiter. *Atmospheric Transport Processes. Part 4: Radioactive Tracers*. US AEC and DOE, Washington, D.C., 1978.
- [460] R. Revelle and H. E. Suess. Carbon dioxide exchange between atmosphere and ocean and the question of an increase of atmospheric CO₂ during the past decades. *Tellus*, 9:18–27, 1957.
- [461] D. Rind, J. Lerner, K. Shah, and R. Suozzo. Use of on-line tracers as a diagnostic tool in general circulation model development: 2. Transport between the troposphere and the stratosphere. *J. Geophys. Res.*, 104D:9151–9167, 1999.
- [462] J. E. Robertson and A. J. Watson. Thermal skin effect on the surface ocean and its implications for CO₂ uptake. *Nature*, 358:738–740, 1992.
- [463] L. Robertson and J. Langner. Source function estimates by means of variational data assimilation applied to the ETEX-I tracer experiment. *Atmos. Environment*, 32:4219–4225, 1998.
- [464] L. Robertson, J. Langner, and M. Engardt. MATCH — mesoscale atmospheric transport and chemistry model. Basic transport model description and control experiment with ²²²Rn. Technical Report RMK no. 70, Swedish Meteorological and Hydrological Institute (RMK), 1996.
- [465] C. Rödenbeck, S. Houweling, M. Gloor, and M. Heimann. CO₂ flux history 1982–2001 inferred from atmospheric data using a global inversion of atmospheric transport. *Atmospheric Chemistry and Physics Discussions*, 3:2575–2659, 2003.
- [466] C. Rödenbeck, S. Houweling, M. Gloor, and M. Heimann. Time-dependent atmospheric CO₂ inversions based on inter-annually varying tracer transport. *Tellus*, 55B:488–497, 2003.
- [467] C. D. Rodgers. Retrieval of atmospheric temperature and composition from remote measurements of thermal radiation. *Rev. Geophys. Space Phys.*, 14:609–624, 1976.
- [468] M. Roemer, M. van Loon, and G. Boersen. Methane emission verification on a national scale. TNO report: TNO-MEP – R 2000/308 (Netherlands Organization for Applied Scientific Research (TNO): Apeldoorn), 2000.
- [469] R. Rood. Numerical advection algorithms and their role in atmospheric transport and chemistry models. *Rev. Geophys.*, 25:71–100, 1987.
- [470] H. K. Roscoe and K. C. Clemitshaw. Measurement techniques in gas-phase tropospheric chemistry: A selective view of the past, present and future. *Science*, 276:1065–1072, 1997.

- [471] B. Ross. A brief history and exposition of the fundamental theory of fractional calculus. In *Fractional Calculus and Its Applications.*, number 457 in Lecture Notes in Mathematics, pages 1–36. 1974.
- [472] T. Roy, P. Rayner, R. Matear, and R. Francey. Southern hemisphere ocean CO₂ uptake: reconciling atmospheric and oceanic estimates. *Tellus*, 55B:701–710, 2003.
- [473] T. Roy, P. J. Rayner, R. J. Matear, and R. J. Francey. Comparison of southern hemisphere ocean CO₂ flux estimates with atmospheric inversion results [MC22 oral presentation]. In CO2SENDAI [78], pages 1035–1038.
- [474] S. W. Running, D. D. Baldocchi, D. P. Turner, S. T. Gower, P. S. Bakwin, and K. A. Hibbard. A global terrestrial monitoring network integrating tower fluxes, flask sampling, ecosystem modeling and EOS satellite data. *Remote Sens. Environ.*, 70:108–127, 1999.
- [475] D. B. Ryall, R. G. Derwent, A. J. Manning, P. G. Simmonds, and S. O’Doherty. Estimating source regions of European emissions of trace gases from observations at Mace Head. *Atmos. Environment*, 35:2507–2523, 2001.
- [476] T. Saeki, T. Nakazawa, M. Tanaka, and K. Higuchi. Methane emissions deduced from a two-dimensional atmospheric transport model and surface measurements. *J. Meteorol. Soc. Jap.*, 76:307–324, 1998.
- [477] J. Sanak, G. Lambert, and B. Ardouin. Measurement of stratosphere-to-troposphere exchange in Antarctica by using short-lived cosmonuclides. *Tellus*, 37B:109–115, 1985.
- [478] J. L. Sarmiento, P. Monfray, E. Maier-Reimer, O. Aumont, R. J. Murnane, and J. C. Orr. Sea-air CO₂ fluxes and carbon transport: A comparisons of three ocean general circulation models. *Global Biogeochemical Cycles*, 14:1267–1281, 2000.
- [479] J. L. Sarmiento and E. T. Sundquist. Revised budget for the oceanic uptake of anthropogenic carbon dioxide. *Nature*, 356:589–593, 1992.
- [480] D. Schimel, I. G. Enting, M. Heimann, T. M. L. Wigley, D. Raynaud, D. Alves, and U. Siegenthaler. CO₂ and the carbon cycle. In J. T. Houghton, L. G. Meira Filho, J. Bruce, Hoesung Lee, B. A. Callander, E. Haites, N. Harris, and K. Maskell, editors, *Climate Change 1994: Radiative Forcing of Climate Change and An Evaluation of the IPCC IS92 Emission Scenarios.*, pages 35–71. Published for the IPCC by CUP, Cambridge, UK, 1995.
- [481] D. S. Schimel, J. I. House, K. A. Hibbard, P. Bousquet, P. Ciais, P. Peylin, B. H. Braswell, M. J. Apps, D. Baker, A. Bondeau, J. G. Canadell, G. Churkina, W. Cramer, A. S. Denning, C. B. Field, P. Friedlingstein, C. Goodale, M. Heimann, R. A. Houghton, J. M. Melillo, B. Moore, D. Murdiyarso, I. Noble, S. W. Pacala, I. C. Prentice, M. R. Raupach, P. J. Rayner, R. J. Scholes, W. L. Steffen, and C. Wirth. Recent patterns and mechanisms of carbon exchange by terrestrial ecosystems. *Nature*, 414:169–172, 2001.
- [482] S. Schlesinger. Terminology of model credibility. *Simulation*, 32:103–104, 1979.
- [483] W. H. Schlesinger. *Biogeochemistry: An Analysis of Global Change*. Academic, San Diego, 1991.
- [484] R. Schlitzer. Applying the adjoint method for biogeochemical modeling: export of particulate organic matter in the world ocean. In Kasibhatla et al. [276], pages 107–124.
- [485] R. Schmitt, B. Schreiber, and I. Levin. Effects of long-range transport on atmospheric trace constituents at the baseline station Tenerife (Canary Islands). *J. Atmos. Chem.*, 7:335–351, 1988.
- [486] R. C. Schnell, D. B. King, and R. M. Rosson, editors. *Climate Monitoring and Diagnostics Laboratory: Summary Report no. 25, 1998–1999*. US Dept. Commerce, Washington, 2001.
- [487] E.-D. Schulze, M. Heimann, S. Harrison, E. Holland, J. Lloyd, I. C. Prentice, and D. Schimel, editors. *Global Biogeochemical Cycles in the Climate System*. Academic, San Diego, 2001.
- [488] A. Segers, A. Heemink, M. Verlaan, and M. van Loon. Nonlinear Kalman filters for atmospheric chemistry models. In Kasibhatla et al. [276], pages 139–146.
- [489] P. Seibert. Inverse modelling of sulfur emissions in Europe based on trajectories. In Kasibhatla et al. [276], pages 147–154.
- [490] P. Seibert, H. Kromp-Kolb, U. Baltensperger, D. T. Jost, M. Schikowski, A. Kasper, and H. Puxbaum. Trajectory analysis of aerosol measurements at high alpine sites. In P. M. Borrell, P. Borrell, T. Cvitas, and W. Seiler, editors, *Transport and Transformation of Pollutants in the Troposphere.*, pages 689–693. Academic, The Hague, 1994.
- [491] M. K. Sharada and K. S. Yajnik. Comparison of simulations of a marine ecosystem model with CZCS data in the north Indian Ocean. In Kasibhatla et al. [276], pages 197–204.
- [492] K. P. Shine, R. G. Derwent, D. J. Wuebbles, and J.-J. Morcrette. Radiative forcing of climate. In G. J. Jenkins J. T. Houghton and J. J. Ephraums, editors, *Climate Change: the IPCC Scientific Assessment*, pages 41–68. Published for the IPCC by CUP, Cambridge, UK, 1990.

- [493] U. Siegenthaler and H. Oeschger. Biospheric CO₂ emissions during the past 200 years reconstructed by deconvolution of ice core data. *Tellus*, 39B:140–154, 1987.
- [494] B. W. Silverman. Spline smoothing: the equivalent variable kernel method. *Annals of Statistics*, 12:896–916, 1984.
- [495] B. W. Silverman. Some aspects of the spline smoothing approach to non-parametric regression curve fitting. (with discussion). *J. Roy. Statist. Soc.*, B47:1–52, 1985.
- [496] H. B. Singh and D. J. Jacob. Future directions: Satellite observations of tropospheric chemistry. *Atmos. Environment*, 34:4399–4401, 2000.
- [497] S. J. Smith and T. M. L. Wigley. Global warming potentials: 2. Accuracy. *Climatic Change*, 44:459–469, 2000.
- [498] SODA. *SODA Workshop on Chemical Data Assimilation: Proceedings*. KNMI (Royal Netherlands Meteorological Institute), de Bilt, Netherlands, 1999.
- [499] S. Solomon. Progress towards a quantitative understanding of Antarctic ozone depletion. *Nature*, 347:347–354, 1990.
- [500] S. Solomon, R. R. Garcia, F. S. Rowland, and D. J. Wuebbles. On the depletion of Antarctic ozone. *Nature*, 321:755–758, 1986.
- [501] S. Solomon, J. T. Kiehl, R. R. Garcia, and W. Grose. Tracer transport by the diabatic circulation deduced from satellite observations. *J. Atmos. Sci.*, 43:1603–1617, 1986.
- [502] S. Solomon and Albritton D. L. Time-dependent ozone depletion potentials for short- and long-term forecasts. *Nature*, 357:33–37, 1992.
- [503] C. M. Spivakovsky. Reply. *J. Geophys. Res.*, 96D:17395–17398, 1991.
- [504] C. M. Spivakovsky, J. A. Logan, S. A. Montzka, Y. J. Balkanski, M. Foreman-Fowler, D. B. A. Jones, L. W. Horowitz, A. C. Fusco, C. A. M. Brenninkmeijer, M. J. Prather, S. C. Wofsy, and M. B. McElroy. Three-dimensional climatological distribution of tropospheric OH: update and evaluation. *J. Geophys. Res.*, 105D:8931–9880, 2000.
- [505] C. M. Spivakovsky, R. Yevich, J. A. Logan, S. C. Wofsy, and M. B. McElroy. Tropospheric OH in a three-dimensional chemical tracer model: An assessment based on observations of CH₃CCl₃. *J. Geophys. Res.*, 95D:18441–18471, 1990.
- [506] C. M. Spivakovsky, R. Yevich, J. A. Logan, S. C. Wofsy, and M. B. McElroy. Reply. *J. Geophys. Res.*, 96D:17389–17390, 1991.
- [507] L. P. Steele, E. J. Dlugokencky, P. M. Lang, P. P. Tans, R. C. Martin, and K. A. Masarie. Slowing down of the global accumulation of atmospheric methane during the 1980s. *Nature*, 358:313–316, 1992.
- [508] B. B. Stephens, S. C. Wofsy, R. F. Keeling, P. P. Tans, and M. J. Potosnak. The CO₂ budget and rectification airborne study: Strategies for measuring rectifiers and regional fluxes. In Kasibhatla et al. [276], pages 311–324.
- [509] J. Stijnen, A. W. Heemink, L. H. J. M. Janssen, and J. T. van der Wal. Estimation of methane emissions in Europe using Kalman smoothing. In *Proceedings of the CKO/CCB Workshop on Bottom-up and Top-down Estimates of Greenhouse Gases in Bilthoven on 27-6-1997.*, pages 133–142. Rijksinstituut voor Volkgezondheid en Milieu, Netherlands, 1997. Report no. 728001 006.
- [510] W. R. Stockwell. A homogeneous gas phase mechanism for use in a regional acid deposition model. *Atmos. Environment*, 20:1615–1632, 1986.
- [511] W. R. Stockwell, F. Kirchner, M. Kuhn, and S. Seefeld. A new mechanism for regional atmospheric chemistry modeling. *J. Geophys. Res.*, 102D:25847–25879, 1997.
- [512] W. R. Stockwell, P. Middleton, J. S. Chang, and X. Tang. The second generation regional acid deposition model chemistry mechanism for regional air quality modeling. *J. Geophys. Res.*, 95D:16343–16367, 1990.
- [513] A. Stohl. Trajectory statistics — a new method to establish source-receptor relationships of air pollutants and its application to the transport of particulate sulfate in Europe. *Atmos. Environment*, 30:579–587, 1996.
- [514] E. T. Sundquist. Geological perspectives on carbon dioxide and the carbon cycle. In E. T. Sundquist and W. S. Broecker, editors, *The Carbon Cycle and Atmospheric CO₂: Natural Variations Archean to Present*. *Geophysical Monograph 32.*, pages 5–59. AGU, Washington, 1985.
- [515] S. Surendran and R. J. Mulholland. Estimation of atmospheric CO₂ concentration using Kalman filtering. *Int. J. System. Sci.*, 17:897–909, 1986.

- [516] S. Surendran and R. J. Mulholland. Modeling the variability in measured atmospheric CO₂ data. *J. Geophys. Res.*, 92D:9733–9739, 1987.
- [517] S. Taguchi. A three-dimensional model of atmospheric CO₂ transport based on analyzed winds: Model description and simulation results for TRANSCOM. *J. Geophys. Res.*, 101D:15099–15109, 1996.
- [518] S. Taguchi. Synthesis inversion of atmospheric CO₂ using the NIRE chemical transport model. In Kasibhatla et al. [276], pages 239–253.
- [519] T. Takahashi, R. H. Wanninkhof, R. A. Feely, R. F. Weiss, D. W. Chipman, N. Bates, J. Olafsson, C. Sabine, and S. C. Sutherland. Net sea-air CO₂ flux over the global oceans: An improved estimate based on the sea-air pCO₂ difference. In Y. Nojiri, editor, *Proceedings of the 2nd International Symposium on CO₂ in the Oceans.*, pages 9–15. Center for Global Environmental Research, Tsukuba, 1999.
- [520] P. P. Tans. On calculating the transfer of carbon-13 in reservoir models of the carbon cycle. *Tellus*, 32:464–469, 1980.
- [521] P. P. Tans. A note on isotopic ratios and the global atmospheric methane budget. *Global Biogeochemical Cycles*, 11:77–81, 1997.
- [522] P. P. Tans, P. S. Bakwin, and D. W. Guenther. A feasible global carbon cycle observing system: A plan to decipher today's carbon cycle based on observations. *Global Change Biology*, 2:309–318, 1996.
- [523] P. P. Tans, J. A. Berry, and R. F. Keeling. Oceanic C¹³/C¹² observations: A new window on oceanic CO₂ uptake. *Global Biogeochemical Cycles*, 7:353–368, 1993.
- [524] P. P. Tans, T. J. Conway, and T. Nakazawa. Latitudinal distribution of the sources and sinks of atmospheric carbon dioxide derived from surface observations and an atmospheric transport model. *J. Geophys. Res.*, 94D:5151–5172, 1989.
- [525] P. P. Tans, I. Y. Fung, and I. G. Enting. Storage vs. flux budgets: the terrestrial uptake of CO₂ during the 1980s. In G. M. Woodwell and F. T. MacKenzie, editors, *Biotic Feedbacks in the Global Carbon Cycle: Will the Warming feed the Warming?*, pages 351–366. OUP, New York, 1995.
- [526] P. P. Tans, I. Y. Fung, and T. Takahashi. Observational constraints on the global atmospheric CO₂ budget. *Science*, 247:1431–1438, 1990.
- [527] P. P. Tans, K. W. Thoning, W. P. Elliott, and T. J. Conway. Background atmospheric CO₂ patterns from weekly flask samples at Barrow, Alaska. Optimal signal recovery and error estimates. In Elliott [129], pages 112–123. NOAA Technical memorandum ERL ARL-173.
- [528] P. P. Tans, K. W. Thoning, W. P. Elliott, and T. J. Conway. Error estimates of background atmospheric CO₂ patterns from weekly flask samples. *J. Geophys. Res.*, 95D:14063–14070, 1990.
- [529] P. P. Tans and D. W. R. Wallace. Carbon cycle research after Kyoto. *Tellus*, 51B:562–571, 1999.
- [530] A. Tarantola. *Inverse Problem Theory: Methods for Data Fitting and Model Parameter Estimation*. Elsevier, Amsterdam, 1987.
- [531] J. A. Taylor. A stochastic Lagrangian atmospheric transport model to determine global CO₂ sources and sinks — a preliminary discussion. *Tellus*, 41B:272–285, 1989.
- [532] A. M. Thompson and R. J. Cicerone. Clouds and wet removal as causes of variability in the trace-gas composition of the marine troposphere. *J. Geophys. Res.*, 87C:8811–8826, 1982.
- [533] M. L. Thompson, I. G. Enting, G. I. Pearman, and P. Hyson. Interannual variation of atmospheric CO₂ concentrations. *J. Atmos. Chem.*, 4:125–155, 1986.
- [534] K. W. Thoning. Selection of NOAA/GMCC CO₂ data from Mauna Loa observatory. In Elliott [129], pages 1–26. NOAA Technical memorandum ERL ARL-173.
- [535] K. W. Thoning, P. P. Tans, and W. D. Komhyr. Atmospheric carbon dioxide at Mauna Loa observatory 2. Analysis of the NOAA GMCC data 1974–1985. *J. Geophys. Res.*, 94D:8549–8565, 1989.
- [536] V. Thouret, J. Y. N. Cho, R. E. Newell, A. Marenco, and H. G. J. Smit. General characteristics of tropospheric trace constituent layers observed in the MOZAIC program. *J. Geophys. Res.*, 105D:17379–17392, 2000.
- [537] A. N. Tikhonov. On the solution of incorrectly posed problems. *Soviet Math. Dokl.*, 4:1035–1042, 1963.
- [538] N. W. Tindale, N. Derek, and R.J. Francey, editors. *Baseline Atmospheric Program Australia 1997–1998*. Bureau of Meteorology and CSIRO Atmospheric Research, Australia, 2001.

- [539] R. Todling. Estimation theory and atmospheric data assimilation. In Kasibhatla et al. [276], pages 49–65.
- [540] J. R. G. Townshend and C. O. Justice. Selecting the spatial resolution of satellite sensors for global monitoring of land transformations. *Int. J. Remote Sensing*, 9:187–236, 1988.
- [541] J. R. G. Townshend and C. O. Justice. The spatial variation of vegetation at very coarse scales. *Int. J. Remote Sensing*, 11:149–157, 1990.
- [542] J. A. Trabalka, editor. *Atmospheric Carbon Dioxide and the Global Carbon Cycle*. U.S. Department of Energy, Washington, 1985. Oak Ridge National Laboratory report TN 37831.
- [543] J. Trampert and R. Sneider. Model estimation biased by truncated expansions: Possible artifacts in seismic tomography. *Science*, 271:1257–1260, 1996.
- [544] K. E. Trenberth, editor. *Climate System Modeling*. CUP, Cambridge, UK, 1992.
- [545] K. E. Trenberth and C. J. Guillemot. The total mass of the atmosphere. *J. Geophys. Res.*, 99D:23079–23088, 1994.
- [546] C. M. Trudinger. *The Carbon Cycle Over The Last 1000 Years Inferred From Ice Core Data*. Ph. D. thesis, Monash University, 2000. Electronic edition at: http://www.dar.csiro.au/publications/Trudinger_2001a0.htm.
- [547] C. M. Trudinger, I. G. Enting, R. J. Francey, D. M. Etheridge, and P. J. Rayner. Long-term variability in the global carbon cycle inferred from a high precision CO₂ and $\delta^{13}\text{C}$ ice core record. *Tellus*, 51B:233–248, 1999.
- [548] C. M. Trudinger, I. G. Enting, and P. J. Rayner. Kalman filter analysis of ice core data. 1. Method development and testing the statistics. *Journal of Geophysical Research*, 107D, 2002. doi:10.1029/2001JD001111.
- [549] C. M. Trudinger, I. G. Enting, P. J. Rayner, and R. J. Francey. A Kalman filter double deconvolution of ice core CO₂ and $\delta^{13}\text{C}$ data [MC04 poster presentation]. In CO2SENDAI [78], pages 907–910.
- [550] C. M. Trudinger, I. G. Enting, P. J. Rayner, and R. J. Francey. Kalman filter analysis of ice core data. 2. double deconvolution of CO₂ and $\delta^{13}\text{C}$ measurements. *Journal of Geophysical Research*, 107D, 2002. doi:10.1029/2001JD001112.
- [551] C. M. Trudinger, D. M. Etheridge, P. J. Rayner, I. G. Enting, G. A. Sturrock, and R. L. Langenfelds. Reconstructing atmospheric histories from measurements of air composition in firn. *Journal of Geophysical Research*, 107D:4780, 2002. doi:10.1029/2002JD002545.
- [552] C. M. Trudinger, P. J. Rayner, I. G. Enting, M. Heimann, and M. Scholze. Implications of ice core smoothing for inferring CO₂ flux variability. *Journal of Geophysical Research*, 108D:4492, 2003. doi:10.1029/2003JD003562.
- [553] S. Twomey. *Introduction to the Mathematics of Inversion of Remote Sensing and Indirect Measurements*. Elsevier, Amsterdam, 1977.
- [554] UNEP. Synthesis of the scientific, environmental effects and economic assessment panels of the Montreal Protocol. Technical report, United Nations Environment Programme Ozone Secretariat, Nairobi, 1999.
- [555] UNEP/OECD/IEA/IPCC. *IPCC Guidelines for National Greenhouse Gas Emission Inventories. (3 volumes)*. IPCC, Paris, 1995.
- [556] A. van Amstel, J. Olivier, and L. Janssen. Analysis of differences between national inventories and an emissions database for global atmospheric research (EDGAR). *Environmental Science and Policy*, 2:275–293, 1999.
- [557] A. T. Vermeulen, A. Hensen, J. W. Erisman, and J. Slanina. Sensitivity study of inverse modelling of non-CO₂ greenhouse gas emissions in Europe. In J. van Ham, A. P. M. Baede, L. A. Meyer, and R. Ybema, editors, *Non-CO₂ Greenhouse Gases: Scientific Understanding, Control and Implementation.*, pages 515–521. Kluwer, Dordrecht, 2000.
- [558] M. Verstraete and B. Pinty. Environmental information extraction from satellite remote sensing data. In Kasibhatla et al. [276], pages 125–137.
- [559] C. M. Volk, J. W. Elkins, D. W. Fahey, R. J. Salawitch, G. S. Dutton, J. M. Gilligan, M. H. Proffitt, M. Loewenstein, J. R. Podolske, K. Minschwaner, J. J. Margitan, and Chan K. R. Quantifying transport between the tropical and mid-latitude lower stratosphere. *Science*, 272:1763–1768, 1996.
- [560] H. von Storch and F. W. Zwiers. *Statistical Analysis in Climate Research*. CUP, Cambridge, UK, 1999.
- [561] T. Vukićević and P. Hess. Analysis of tropospheric transport in the Pacific Basin using the adjoint technique. *J. Geophys. Res.*, 105D:7213–7230, 2000.
- [562] G. Wahba. *Spline Models for Observational Data*. SIAM, Philadelphia, 1990.

- [563] J. J. Walton, M. C. MacCracken, and S. J. Ghan. A global-scale Lagrangian trace species model of transport, transformation and removal processes. *J. Geophys. Res.*, 93D:8339–8354, 1988.
- [564] C. Wang, R. G. Prinn, and A. Sokolov. A global interactive chemistry and climate model: Formulation and testing. *J. Geophys. Res.*, 103D:3399–3417, 1998.
- [565] Y.-P. Wang and D. J. Barrett. Estimating regional terrestrial carbon fluxes for the Australian continent using a multiple-constraint approach: I. Using remotely sensed data and ecological observations of net primary production. *Tellus*, 55B:270–289, 2003.
- [566] P. Warneck. *Chemistry of the Natural Atmosphere*. Academic, San Diego, 2nd edition, 1999.
- [567] R. T. Watson, I. R. Noble, B. Bolin, N. H. Ravindranath, D. J. Verardo, and D. J. Dokken, editors. *Land Use, Land-Use Change, and Forestry*. Published for the IPCC by CUP, Cambridge, UK, 2000. (IPCC Special Report).
- [568] R. T. Watson, H. Rodhe, H. Oeschger, and U. Siegenthaler. Greenhouse gases and aerosols. In J. T. Houghton, G. J. Jenkins, and J. J. Ephraums, editors, *Climate Change: The IPCC Scientific Assessment.*, pages 1–40. Published for the IPCC by CUP, Cambridge, UK, 1990.
- [569] WDCGG. WMO WDCGG data catalogue: GAW data. Technical Report WDCGG no. 19, Japan Meteorological Agency for WMO, Tokyo, 1999.
- [570] J. Weizenbaum. *Computer Power and Human Reason: From Judgment to Calculation*. W.H. Freeman, San Francisco, 1976.
- [571] J. Weyant, O. Davidson, H. Dowlatabadi, J. Edmonds, M. Grubb, E. A. Parson, R. Richels, J. Rotmans, P. R. Shulka, R. S. J. Tol, W. Cline, and S. Fankhauser. Integrated assessment of climate change: An overview and comparison of results. In J. P. Bruce, H. Lee, and E. F. Haites, editors, *Climate Change 1995: Economic and Social Dimensions of Climate Change*, pages 367–396. Published for the IPCC by CUP, Cambridge, UK, 1996.
- [572] D. Wiens, L. Z. Florence, and M. Hiltz. Robust estimation of chemical profiles of air-borne particulate matter. *Environmetrics*, 12:25–40, 2000.
- [573] T. M. L. Wigley. A simple inverse carbon cycle model. *Global Biogeochemical Cycles*, 5:373–382, 1991.
- [574] T. M. L. Wigley and S. C. B. Raper. Implications for climate and sea level rise of revised IPCC emission scenarios. *Nature*, 357:293–300, 1992.
- [575] T. M. L. Wigley and D. S. Schimel, editors. *The Carbon Cycle*. CUP, Cambridge, UK, 2000.
- [576] D. L. Williamson and R. Laprise. Numerical approximations for global atmospheric general circulation models. In Mote and O’Neill [368], pages 127–219.
- [577] S. R. Wilson, A. L. Dick, P. J. Fraser, and S. Whittlestone. Nitrous oxide flux estimates for south eastern Australia. *J. Atmos. Chem.*, 26:169–188, 1997.
- [578] A. M. E. Winguth, D. Archer, E. Maier-Reimer, and U. Mikolajewicz. Paleonutrient data analysis of the glacial Atlantic using an adjoint ocean general circulation model. In Kasibhatla et al. [276], pages 171–183.
- [579] WMO. Report of the NBS/WMO expert meeting on atmospheric carbon dioxide measurement techniques: Gaithersburg, Maryland, 15–17 June 1987. Technical Report Publication no. 51, Environmental Pollution Monitoring and Research Programme, Geneva, 1987.
- [580] WMO. Provisional daily atmospheric carbon dioxide concentrations as measured at Global Atmosphere Watch (GAW) — BAPMoN sites for the year 1989. Technical Report Publication no. 69, Environmental Pollution Monitoring and Research Programme, 1990.
- [581] WMO, UNEP, NASA, NOAA, and UKDoE. Scientific assessment of ozone depletion: 1989. (2 volumes). Technical Report Report no. 20, World Meteorological Organization, Global Ozone Research and Monitoring Project, 1990. Assessment co-chairs: D. L. Albritton and R. T. Watson.
- [582] WMO, UNEP, NASA, NOAA, and UKDoE. Scientific assessment of ozone depletion: 1991. Technical Report Report no. 25, World Meteorological Organization, Global Ozone Research and Monitoring Project, 1992. Assessment co-chairs: D. L. Albritton and R. T. Watson.
- [583] WMO, UNEP, NOAA, and NASA. Scientific assessment of ozone depletion: 1994. Technical Report Report no. 37, World Meteorological Organization, Global Ozone Research and Monitoring Project, 1995. Assessment co-chairs: D. L. Albritton, R. T. Watson and P. J. Auchamp.

- [584] WMO, UNEP, NOAA, NASA, and EC. Scientific assessment of ozone depletion: 1998. Technical Report Report no. 44., WMO and UNEP and NOAA and NASA and EC, 1999. Assessment co-chairs: D. L. Albritton, P. J. Auchamp, G. Mégie and R. Watson.
- [585] G. M. Woodwell and F. T. MacKenzie, editors. *Biotic Feedbacks in the Global Climatic System: Will the Warming Feed the Warming?* OUP, New York, 1995.
- [586] D. S. Wratt, N. R. Gimson, G. W. Brailsford, K. R. Lassey, A. M. Bromley, and M. J. Bell. Estimating regional methane emissions from agriculture using aircraft measurements of concentration profiles. *Atmos. Environment*, 35:497–508, 2001.
- [587] D. J. Wuebbles. Chlorocarbon emission scenarios: Potential impact on stratospheric ozone. *J. Geophys. Res.*, 88C:1433–1443, 1983.
- [588] D. J. Wuebbles and K. Hayhoe. Atmospheric methane: trends and impacts. In J. van Ham, A. P. M. Baede, L. A. Meyer, and R. Ybema, editors, *Non-CO₂ Greenhouse Gases: Scientific Understanding, Control and Implementation.*, pages 1–44. Kluwer, Dordrecht, 2000.
- [589] C. Wunsch. *The Ocean Circulation Inverse Problem.* CUP, Cambridge, UK, 1996.
- [590] C. Wunsch and J.-F. Minster. Methods for box models and ocean circulation tracers: Mathematical programming and non-linear inverse theory. *J. Geophys. Res.*, 87C:5647–5662, 1982.
- [591] S. Yamamoto, H. Kondo, M. Gamo, S. Murayama, N. Kaneyasu, and M. Hayashi. Airplane measurements of carbon dioxide distribution on Iriomote Island in Japan. *Atmos. Environment*, 30:1091–1097, 1996.
- [592] N. Yoshida and S. Toyoda. Constraining the atmospheric N₂O budget from intramolecular site preference in N₂O isotomers. *Nature*, 405:330–334, 2000.
- [593] P. Young. *Recursive Estimation and Time Series: An Introduction.* Springer-Verlag, Berlin, 1984.
- [594] P. Young, S. Parkinson, and M. Lees. Simplicity out of complexity in environmental modelling: Occam’s razor revisited. *J. Appl. Statist.*, 23:165–210, 1996.
- [595] P. C. Young, editor. *Concise Encyclopedia of Environmental Systems.* Pergamon, Oxford, 1993.
- [596] R. A. Zaveri and L. K. Peters. A new lumped structure photochemical mechanism for large-scale applications. *J. Geophys. Res.*, 104D:30387–30415, 1999.
- [597] X. F. Zhang, A. W. Heemink, L. H. J. M. Janssen, P. H. M. Janssen, and F. J. Sauter. A computationally efficient Kalman smoother for the evaluation of the CH₄ budget in Europe. *Appl. Math. Modelling*, 23:109–129, 1999.
- [598] X. F. Zhang, A. W. Heemink, and J. C. H. van Eijkeren. Data assimilation in transport models. *Appl. Math. Modelling*, 21:2–14, 1997.
- [599] X. Zhao, R. P. Turco, and M. Shen. A new family Jacobian solver for global three-dimensional modeling of atmospheric chemistry. *J. Geophys. Res.*, 104D:1767–1799, 1999.
- [600] zV. X. Y, 290:1–1, 1999.
- [601] Zz. X. Y, 0:1–1, 1999.
- [602] zz. X. Y, 0:1–1, 1999.
- [603] zZA. W. ., ., 1999.
- [604] ZZB. J, 1999.
- [605] ZZC. X. In Z, editor, Y, pages 1–1. Q, R, 1999.
- [606] ZZZZ. File tc.bib, last change 17/5/04.